POLYMER CLASSIFIED CONTENTS VOLUME 26 1985

Absorption: Aqueous salt ———— by ampholytic polysaccharides, 1234
Absorption: Structure-water ———— relationships for amine-cured epoxy resins, 1719
Acenaphthylene: Preparation of crosslinked polymers using ———— and the chemical modification of these polymers, 1701
(Acetoxypryopyl) cellulose: Optical properties of ———— mesophases: factors influencing the cholesteric pitch, 1435
Acid catalysis: Kinetics of acid catalysed degradation of cellulose triacetate in chloroalkane solvents: 1. Dichloromethane, 297
Acrylonitrile: Bulk copolymerization of styrene and ————: Experimental kinetics and mathematical modelling, 2001
Acrylonitrile: Copolymers of ———— with some furans and their Diels–Alder adducts, 1268
Activation energy: Unsaturated polyester–styrene resins: Effect of the catalyst concentration on the kinetic rate and ———— of the radical crosslinking reactions, 1885
Acylphosphine oxides: On the photolysis of ————: 1. Laser flash photolysis studies with 2,4,6-trimethylbenzoyl-diphenylphosphine oxide, 141
Additives: Liquid crystalline polymers as ———— to enhance the device properties of low molecular mass liquid crystals, 1312
Additives: Phase separation in styrenated polyester resin containing a poly(vinyl acetate) low-profile additive, 109
Adhesion: Phase structure and ———— in polymer blends: A criterion for rubber toughening, 1855
Adsorption: Monte-Carlo calculations on statistical chains enclosed inside a sphere, 1631
Adsorption: Transition phenomena of polymers in mixed solvents in the vicinity of theta conditions: Effect of preferential ————, 1838
Alkanes: A simple thermodynamic analysis of solid–solution formation in binary systems of homologous extended-chain ————, 288
Alkyl groups: Surface free energy of poly(vinyl alcohol) modified with ————, 429
Alkyl radical decay: Chlorination of irradiated polyethylene single crystals: 1. Analysis of ———— kinetics, 27
Ampholytic ionomers: Synthesis and viscometric properties of low charge density ————, 1058
Ampholytic polysaccharides: Aqueous salt absorption by ————, 1234
Antioxidant: Fluorescence measurements of the diffusion coefficient for butylated hydroxyanisole in low-density polyethylene, 433
Antioxidant: New developments in speciality polymers: polymeric stabilizers, 1288
Aramids: Elastic extension of an oriented crystalline fibre, 310
Aromatic polymers: Degradation in tensile properties of ———— by electron beam irradiation, 1039
Basic polymers: New developments in macroinorganics – the thermodynamics of ————, 1353
Binary systems: A simple thermodynamic analysis of solid–solution formation in ———— of homologous extended-chain alkanes, 288
Binodal and spinodal curves: a simulation for various high polymer mixtures, 418
Biochemical applications: Synthesis, physicochemical properties and ———— of poly(amido-amine)s, 1336
Biomaterials- Structural considerations and new polymers for biomedical applications, 1331
Biomedical applications: Structural considerations and new polymers for ————, 1331
Biopolymer gels: Large deformation and ultimate properties of ————: 1. Single biopolymer component systems, 1483
Biopolymer gels: Large deformation and ultimate properties of ————: 2. Mixed gel systems, 1493
Biopolymers: N.m.r. of solid ————, 190
Birefringence: Compensation method for zero ———— in oriented polymers, 1619
Birefringence: New extensional rheometer for elongational viscosity and flow ———— measurements: some results on polystyrene melts, 1477
Birefringence: Temperature dependence of ———— for strained natural rubber vulcanizates, 97
Birefringence: Temperature dependence of ———— and stress for natural rubber vulcanizates at strained state, 247
Birefringence: Temperature effects on the ———— of nitrocellulose and nitrocellulose//nitroglycerine mixtures, 643
Bis(amide-maleimide): Curing of bismaleimides: 3. Effect of structure on thermal behaviour of ————, 1561
Bismaleimides: Curing of ————: 3. Effect of structure on thermal behaviour of bis(amide-maleimide), 1561
Bisphenol A polycarbonate: Effect of physical ageing on enthalpy relaxation and isothermal contraction in ————, 1546
B-loww process: The ———— in liquid crystal polyesters containing 2,6-naphthyl groups, 1623
Blend film: Selective permeation across a ———— of cellulose acetate and polymers or copolymers of c-(N^{ε}-AcrLys–Sar), 774
Blends: Binodal and spinodal curves: a simulation for various high polymer mixtures, 418
Blends: Concerning the miscibility of poly(vinyl phenol) ———— *FT*i.r. study, 228
Blends: Isotope effects on the phase separation in polystyrene-poly(vinylmethylether) ————, 73
Blob model: Pulsed field gradient n.m.r. measurements and theoretical interpretation of the self-diffusion of polystyrene in solution, 241
Blood compatibility: Microphase separated structure and ———— of segmented poly(urethaneureas) with different diamines in the hard segment, 978
Blood compatibility: Microphase separated structure, surface composition and ———— of segmented poly(urethaneureas) with various soft segment components, 987
Bromination: Head-to-head polymers: 33. ———— of *cis*-1,4-polybutadiene to head-to-head poly(vinyl bromide), 1257
Brownian motion: Theory of nuclear magnetic relaxation, 193
Butadiene: Anionic telomerization of ———— with toluene and diphenylmethane: microstructure and molecular weight, 1265
Butadiene: polymerization with a rare earth compound using a magnesium alkyl cocatalyst: 1., 147
Butadiene: polymerization with a rare earth compound using a magnesium alkyl cocatalyst: 2., 152
Butadiene soft segments: Thermal and mechanical properties of solution polymerized segmented polyurethanes with ————, 895
1,4-butanediol: Synthesis and properties of monodisperse hydroxy-terminated oligomers or ————, and 2,4-toluene diisocyanate, 889
Butanediol: Properties of polyisobutylene polyurethane block copolymers: 3. Hard segments based on 4′,4-dicyclohexylmethane diisocyanate and ————, 70
Butyl acrylate: Grafting of ———— onto gelatin in a water–isopropanol medium, 2064

Calorimetric determination: of the enthalpy change for the binding of methyl orange to poly(vinylpyrrolidone) in aqueous solution, 751
Carbon dioxide: Isosteric heat of sorption of CO_2 in poly(ethylene terephthalate), 2043
Catalysis: Catalytic initiation of polyacrylonitrile stabilization, 447
Catalysis: Models for the formation of poly(butylene terephthalene): effect of water on the kinetics of the titanium tetrabutylate-catalysed reactions: 3., 1745
Catalysis: Preparation of highly active chromium catalysts for ethylene polymerization, 1891
Catalyst concentration: Unsaturated polyester–styrene resins: Effect of the ———— on the kinetic rate and activation energy of the radical crosslinking reactions, 1885
Catalyst: Stereochemical composition–property relationships in isotactic polypropylenes obtained with different ———— systems, 259
Catalysts: Polymer–metal complexes, based on poly(itaconic acid ester) derivatives, as ———— for the decomposition of hydrogen peroxide, 1571
Cavitation: A mathematical model for diffusion with induced crystallization: 1., 119
Cellulose: Viscoelastic properties of ———— derivatives: 1. Cellulose acetate, 1953
Cellulose: Viscoelastic properties of

——— derivatives: 2. Effect of diethylphthalate on the dynamic mechanical relaxation of cellulose acetate, 1958

Cellulose acetate: Diffusion of solvent from a cast ——— solution during the formation of skinned membranes, 1531

Cellulose acetate: Selective permeation across a blend film of ——— and polymers or copolymers of ε-(N$^{\varepsilon}$-AcrLys–Sar), 774

Cellulose acetate: Viscoelastic properties of cellulose derivatives: 1. ———, 1953

Cellulose acetate: Viscoelastic properties of cellulose derivatives: 2. Effect of diethylphthalate on the dynamic mechanical relaxation of ———, 1958

Cellulose triacetate: Kinetics of acid catalysed degradation of ——— in chloroalkane solvents: 1. Dichloromethane, 297

Cellulose–water: N.m.r. study of ——— systems: Water proton spin-lattice relaxation in the rotating reference frame, 859

Chain binding: Characterization of ——— to filler in silicone–silica systems, 1231

Chain twist boundaries: Modelling of ——— in poly(vinylidene fluoride) as a mechanism for ferroelectric polarization, 821

Chain conformation: Motional restrictions and ——— in various swollen crosslinked polystyrene gels from ^{1}H n.m.r. line-shape analysis, 253

Chain diffusion: N.m.r. and macromolecular migration in a melt or in concentrated solutions, 197

Chain statistics: Monte-Carlo calculations on statistical chains enclosed inside a sphere, 1631

Characterization: chain binding to filler in silicone–silica systems, 1231

Characterization: Comparison of molecular weight distribution models for polymers characterized by g.p.c., 581

Characterization: ^{1}H, ^{19}F and ^{11}B nuclear magnetic resonance ——— of BF_3: amine catalysts used in the cure of carbon-fibre–epoxy prepregs, 827

Characterization: Infra-red spectroscopic ——— of the α–β phase transition in poly(tetramethylene terephthalate), 235

Characterization: poly(1,4-phenylene-terephthalamide) in concentrated sulphuric acid: 1. Static and dynamic properties, 1401

Characterization: poly(1,4-phenylene-terephthalamide) in concentrated sulphuric acid. 2: Determination of molecular weight distributions, 1408

Characterization: Polymer-bound flavins: 5. ——— by static and time-resolved fluorescence techniques, 951

Characterization: Polymerization of poly(dimethylsiloxane) macromers: 1. Copolymerization with styrene, 437

Characterization: Synthesis and ——— of model comb-branched polyurethanes: 1. Synthesis of model comb-branched polyurethanes, 84

Characterization: Synthesis and ——— of model comb-branched polyurethanes: 2. Dilute solution and viscoelastic properties, 91

Chemical degradation: Thermal stability of xanthan gum, 1549

Chemical initiation: Free radical polymerization of *p*-methyl styrene, 935

Chemical modification: Preparation of crosslinked polymers using acenaphthylene and the ——— of these polymers, 1701

Chemical properties: Synthesis, physico- ——— and biochemical applications of poly(amido-amine)s, 1336

Chemical shifts: Theory of nuclear magnetic relaxation, 193

Chlorination of irradiated polyethylene single crystals: 1. Analysis of alkyl radical decay kinetics, 27

Chlorination of irradiated polyethylene single crystals: 2. XES and e.s.c.a. analysis of irradiated-chlorinated polyethylene, 38

Chloroalkane solvents: Kinetics of acid catalysed degradation of cellulose tricetate in ——— 1. Dichloromethane, 297

Cholesteric pitch: Optical properties of (acetoxypropyl) cellulose mesophases: factors influencing the ———, 1435

Chromium catalyst: Homo- and copolymerization of ethylene and propylene with a soluble ———, 1888

Chromium: Preparation of highly active Cr-catalysts for ethylene polymerization, 1891

Circular dichroism: Optical rotatory dispersion and ——— studies of copolyaspartates with long alkyl side chain, 848

Cocatalyst: Butadiene polymerization with a rare earth compound using a magnesium alkyl ———: 1., 147

Cocatalyst: Butadiene polymerization with a rare earth compound using a magnesium alkyl ———: 2., 152

Collagen: Thermal properties of gelatin films, 113

Collapse transition: Monte-Carlo simulation of the ——— of a two-dimensional polymer, 1814

Comb-branched polyurethanes: Synthesis and characterization of model comb-branched polyurethanes: 1. Synthesis of model ———, 84

Comb-like polymers: Steroregular poly(alkyl methacrylate)s: polymer–polymer and copolymer–polymer blends, 1795

Commodity polymers: Speciality products based on ———, 1372

Compaction pressure: The effect of ——— on the conductivity and structure in undoped poly(1,4-phenylene) (PPP), 1628

Compatability: Binodal and spinodal curves: a simulation for various high polymer mixtures, 418

Compatability: Structural considerations and new polymers for biomedical applications, 1331

Compensation method: for zero birefringence in oriented polymers, 1619

Complexation: A study of the ——— between poly(ethylene glycol) and sodium thiocyanate, 81

Complexing: of some transition metal ions with polyheptyl itaconate) containing tetraethylene pentamine side chains, 1566

Composite: Milled fibre reinforced epoxy resin – an engineering polymer ———, 1419

Composites: Far-infra-red moisture monitoring in polymeric ———, 69

Composition profiles: Asymmetric ——— in block copolymer interphases: 1. Experimental evidence, 2021

Composition profiles: Asymmetric ——— in block copolymer interphases: 2. Thermodynamic model predictions and implications, 2026

Compound composition: Effect of ——— on fast reactions of polyurethane and unsaturated polyester in the bulk state, 1247

Concentrated solutions: N.m.r. and macromolecular migration in a melt or in ———, 197

Concentration dependence: of the primitive path step length, 101

Conducting: Synthesis of highly ——— polystyrene–polyacetylene copolymers, 622

Conductivity: Synthesis, crosslinking and electrical ——— of poly(1,8-nonadiyne), 71

Conductivity: Effect of compaction pressure on the ——— and structure in undoped poly(1,4-phenylene), 1628

Conformation: Conformational and packing energy calculations on two crystalline modifications of poly(*trans*-1,4-butadiene), 2039

Conformational volume: Macromolecular ——— and thermodynamics of crystal melting, 1638

Cooperative relaxation: processes in polymers, 1034

Copolyaspartates: Optical rotatory dispersion and circular dichroism studies of ——— with long alkyl side chain, 848

Copolyesters: Effect of thermal history on the morphology of thermotropic liquid crystalline ——— based on poly(ethylene terephthalate) and para-hydroxybenzoic acid, 689

Copolyesters: Liquid crystal polymers: 21. Thermotropic properties and crystallization-induced reactions of aromatic ———, 1307

Copolyesters: Molecular correlations in sheared thermotropic ——— showing banded textures, 870

Copolymer: Asymmetric composition profiles in block ——— interphases: 2. Thermodynamic model predictions and implications, 2026

Copolymer: Asymmetric composition profiles in block ——— interphases: 1. Experimental evidence, 2021

Copolymer: Craze plasticity and toughness of particulate block ——— blends, 529

Copolymer: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and ethylene vinyl ester/alcohol ———, 45

Copolymer: Toughness of two pure block ——— blends in high molecular weight polystyrene, 519

Copolymers: of acrylonitrile with some furans and their Diels–Alder adducts, 1268

Copolymers: Crystallization behaviour of random block ——— of poly(butylene terephthalate) and poly(tetramethylene ether glycol), 8

Copolymers: Properties of polyisobutylene polyurethane block ———: 3. Hard segments based on 4,4′-dicyclohexylmethane diisocyanate (H_{12}MDI) and butane diol, 70

Copolymers: Properties of polyisobutylene polyurethane block ———: 2. Macroglycols produced by the 'inifer' technique, 55

Copolymers: Reactions of macroions leading to block and/or graft ——— macroion transformation: anion → cation and cation → anion, 1733

Copolymers: Structure of propylene–ethylene sequential ———, 1155

Copolymers: Thermal transitions of ethylene–vinyl chloride ———, 1195

Copolymers: Three-dimensional structure of ——— of *p*-hydroxybenzoic acid and

2-hydroxy-6-naphthoic acid: A model for diffraction of a nematic structure, 997
Copolymerization: Bulk ———— of styrene and acrylonitrile: Experimental kinetics and mathematical modelling, 2001
Copolymerization: Homo- and ———— of ethylene and propylene with a soluble chromium catalyst, 1888
Copolymerization: involving *N*-vinyl-2-pyrrolidone, 1869
Copolymerization: Polymerization of poly(dimethylsiloxane) macromers: 1. ———— with styrene, 437
Copolymerization: Study on kinetics of ———— of styrene and maleic anhydride in methyl ethyl ketone, 629
Corona-discharge: E.s.c.a. studies of ———— treated polyethylene surfaces by use of gas-phase derivation, 1162
Craze plasticity: and toughness of particulate block copolymer blends, 529
Crazes: Concentration dependence of the primitive path step length, 101
Crazes: The interpretation of electron microscope images and scattering patterns from ————, 483
Crazing: in polystyrene–polybutadiene diblock copolymers containing cylindrical polybutadiene domains, 1985
Creep: of aromatic polyamide fibres, 733
Critical point: Study on polymer solutions in solvent mixtures in the vicinity of the ———— of the solvents: 4. Saturation phenomena, 293
Crosslink distribution: of epoxy networks studied by small-angle neutron scattering, 1053
Crosslinking: Debromination of di- and tetrabrominated compounds by crosslinked poly(1-[*p*-(mercaptomethyl)phenyl] ethylene), 781
Crosslinking: Effect of the degree of ———— on penetrant transport in polystyrene, 569
Crosslinking: Intramolecular ———— of poly(vinyl alcohol), 1737
Crosslinking: Preparation of crosslinked polymers using acenaphthylene and the chemical modification of these polymers, 1701
Crosslinking: Reactions of macroions leading to graft copolymers: ———— and grafting of poly(vinyl chloride) by carbanions, 1575
Crosslinking: Synthesis ———— and electrical conductivity of poly(1,8-nonadiyne), 71
Crosslinking: Thermal properties of gelatin films, 113
Crosslinking: Unsaturated polyester–styrene resins: Effect of the catalyst concentration on the kinetic rate and activation energy of the radical ———— reactions, 1885
Cross-polarization: ^{13}C and ^{1}H n.m.r. studies of solid polyolefines, 169
Cross-termination: Radical polymerization initiated by primary radicals with similar structure to the end radical on the polymer, 1253
18-crown-6: Heterogeneous fluorination of chlorine containing polymers with ———— as phase transfer agent, 786
Curing: of bismaleimides: 3. Effect of structure on thermal behaviour of bis(amide-maleimide), 1561
Curing: Polyurethane ———— by a pulsed microwave field, 506
Crystal growth: Structure and ———— approach of poly(alkylacrylate) myelinic vesicles by electron microscopy, 837
Crystal melting: Macromolecular conformational volume and thermodynamics of ————, 1638
Crystal structure: Energy calculations for the ———— of the high temperature phases (I and IV) of poly(tetrafluoroethylene), 1944
Crystalline: Elastic extension of an oriented ———— fibre, 310
Crystalline polymers: Relaxation processes in ———— molecular interpretation – a review, 1123
Crystalline structure: of poly(diaryl siloxanes), 1527
Crystallinity effects: Phase separation studies in reaction injection moulding polyurethanes catalyst and hard segment ————, 1145
Crystallinity: Setting angle of extended chain linear polyethylene, 650
Crystallinity: Temperature dependence of birefringence and stress for natural rubber vulcanizates at strained state, 247
Crystallization behaviour: Melting of ———— of elastoplastic semi-crystalline copolymers: poly(ether ester), 1202
Crystallization behaviour of random block copolymers of poly(butylene terephthalate) and poly(tetramethylene ether glycol), 8
Crystallization behaviour: Studies of cyclic and linear poly(dimethylsiloxanes): 19. Glass transition temperatures and ————, 930
Crystallization: in electric fields of a semiflexible copolymer: *p*-hydroxybenzoate//ethylene terephthalate, 682
Crystallization: Isothermal ———— of poly(ethylene terephthalate) of low molecular weight by differential scanning calorimetry: 1. Crystallization kinetics, 423
Crystallization: Kinetic analysis of the ———— of poly(*p*-phenylene sulphide), 1595
Crystallization: Kinetic substrate length in nucleation-controlled ———— in polyethylene fractions, 803
Crystallization: Liquid crystal polymers: 21. Thermotropic properties and ———— induced reactions of aromatic copolyesters, 1307
Crystallization: Local composition heterogeneities occurring during ———— in poly(vinylidene fluoride)/poly(methyl methacrylate) blends as studied by high-resolution solid state ^{13}C n.m.r., 1081
Crystallization: Mathematical model for diffusion with induced ———— 1., 119
Crystallization: Mathematical model for diffusion with induced ————: 2., 131
Crystallization: Melt behaviour of isotactic poly(2-vinylpyridine), 283
Crystallization: morphology, structure and thermal behaviour of nylon-6 rubber blends, 270
Crystallization: Single crystal of polyethylene crystallized under high pressure, 1791
Crystallization: Spherulitic ———— in poly(bis(trifluro-ethoxy)phosphazene), 1971
Crystallization: Stereochemical composition – property relationships in isotactic polypropylenes obtained with different catalyst systems, 259
Crystallization: Structure and properties of linear polyethylene crystallized by rapid cooling of melts: 3. The effect of shear, 865
Crystallization: Temperature dependence of birefringence for strained natural rubber vulcanizates, 97
Crystallization: Theory of the substance length in polymer ————: Surface roughening as an inhibitor for substrate completion, 1763
Crystallite rotation: Creep of aromatic polyamide fibres, 733
Cyclomatrix polymer: A novel ———— based on (hydroxy phenoxy) phosphazenes and 2-methyl aziridine: some aspects of synthesis and adhesive heat resistance, 1895

Debromination: of di- and tetrabrominated compounds by crosslinked poly(1-[*p*-mercaptomethyl) phenyl]ethylene), 781
Decomposition: Polymer–metal complexes, based on poly(itaconic acid ester) derivatives, as catalysts for the ———— of hydrogen peroxide, 1571
Deformation: Effects of sorbed water on properties of low and high molecular weight poly(methyl methacrylate): 1. ———— and fracture behaviour, 511
Deformation: Large ———— and ultimate properties of biopolymer gels: 1. Single biopolymer component systems, 1483
Deformation: Large ———— and ultimate properties of biopolymer gels: 2. Mixed gel systems, 1493
Deformation: Molecular scale ———— in the yielding behaviour of glassy polymers, 1807
Deformation: Plastic ———— in linear polyethylene, 1501
Deformations: Superposition of small shear ———— on large uniaxial extensions for viscoelastic materials, 1105
Degradation: Kinetics of acid catalysed ———— of cellulose triacetate in chloroalkane solvents: 1. Dichloromethane, 297
Degradation: in tensile properties of aromatic polymers by electron beam irradiation, 1039
Degradation phenomena: of two linear aliphatic polyester fibres used in medicine and surgery, 591
Depolarization current: in phenol-formaldehyde resin below the glass transition, 1141
Deuteropolyethylene: Polyethylene ———— phase behaviour, 1523
Deuteropolyethylene: Small-angle neutron scattering of partially segregated blends of polyethylene ————, 661
Device properties: Liquid crystalline polymers as additives to enhance the ———— of low molecular mass liquid crystals, 1312
Diamines: Mechanical relaxation mechanism of epoxide resins cured with ————, 457
Dichloromethane: Kinetics of acid catalysed degradation of cellulose triacetate in chloroalkane solvents: 1. Dichloromethane, 297
4,4′-dicyclohexylmethane diisocyanate: Properties of polyisobutylene polyurethane block copolymers: 3. Hard segments based on ———— and butane diol, 70
Didecylphenylphosphite: An n.m.r. and d.s.c. investigation of the solubility conditions of ———— in rigid poly(vinyl chloride), 307
Dielectric: and ^{13}C n.m.r. studies of various stereostructural forms of poly(*N*-vinyl carbazole), 2014
Dielectric heating: Production of ultrahigh modulus polyoxymethylene by drawing under ————, 84
Dielectric loss: The *B*-loss process in liquid crystal polyesters containing 2,6-naphthyl groups, 1623

Dielectric loss: Dielectric properties of polymers at microwave frequencies: a review, 963
Dielectric: and mechanical-dynamical studies on poly(cyclohexyl methacrylate), 1849
Dielectric properties: of polyarylate around the glass transition, 913
Dielectric properties: Polymers at microwave frequencies: a review, 963
Dielectric relaxations: Multiple transitions in polyallylbenzene: 2. ————: relationship between structure and properties, 1448
Dielectric studies: of the effect of water on the relaxation properties of nitroglycerine–nitrocellulose mixtures, 1227
Diels–Alder adducts: Copolymers of acrylonitrile with some furans and their ————, 1268
Diethylphthalate: Viscoelastic properties of cellulose derivatives: 2. Effect of ———— on the dynamic mechanical relaxation of cellulose acetate, 1958
Differential scanning calorimetry: Crystallization and melt behaviour of isotactic poly(2-vinylpyridine), 283
Differential scanning calorimetry: Glass transition temperature of poly(*N*-vinyl pyrrolidone) by ————, 757
Differential scanning calorimetry: Isothermal crystallization of poly(ethylene-terephthalate) of low molecular weight by ———— 1. Crystallization kinetics, 423
Diffusion: A mathematical model for ———— with induced crystallization: 1., 119
Diffusion, A mathematical model for ———— with induced crystallization: 2., 131
Diffusion: of poly(ethylene oxide) in semi-dilute aqueous solution: Dynamic light scattering and gradient diffusion, 1647
Diffusion: of solvent from a cast cellulose acetate solution during the formation of skinned membranes, 1531
Diffusion: The sorption and ———— of water in hallogen-containing epoxy resins, 1167
Diffusion coefficient: Fluorescence measurements of the ———— for butylated hydroxyanisole in low-density polyethylene, 433
Dilute polymer solutions: Quasielastic scattering from ————, 1212
Dilute solution: Synthesis and characterization of model comb-branched polyurethanes: 2. ———— and viscoelastic properties, 91
Dissolution rates: Effects of molecular weight and plasticization on ———— of thin polymer films, 1069
Domains: Crazing in polystyrene–polybutadiene diblock copolymers containing cylindrical polybutadiene ————, 1985
Domains: morphology in polyurethanes, 490
Domain size: Properties of polyisobutylene polyurethane block copolymers: 3. Hard segments based on 4,4′-dicyclohexylmethane diisocyanate and butanediol, 70
Doping: Optical waveguiding in doped poly(methyl methacrylate), 1423
Doping: Synthesis, crosslinking and electrical conductivity of poly-1,8-nonadiyne, 71
Double base: Relaxations in ———— propellants, 79
Drawing: Mechanical and physical properties of ultra-oriented polyoxymethylene produced by microwave heating ————, 462
Drawing: Production of ultrahigh modulus polyoxymethylene by ———— under dielectric heating, 84
Drawing process: Morphological changes of wide polyoxymethylene rod during a microwave heating ————, 1929
Dry-spinning: High modulus fibres of nylon-6 prepared by a ———— method, 1394
D.s.c.: An n.m.r. and ———— investigation of the solubility conditions of didecylphenyl-phospnite in rigid poly(vinyl chloride), 307
D.s.c.: investigation of the states of water in poly(vinyl alcohol) membranes, 1207
D.s.c.: investigation of the states of water in poly(vinyl alcohol-co-itaconic acid) membranes, 1833
Ductile fracture: Tearing instability in polypropylene, 1963
Dynamic light scattering: Diffusion of poly(ethylene oxide) in semidilute aqueous solution: ———— and gradient diffusion, 1647
Dynamic properties: A study of the static and ———— of side-chain liquid crystalline polymers in low molar mass mesogens, 1319
Dynamic properties: Characterization of poly(1,4-phenyleneterephthalamide) in concentrated sulphuric acid: 1. Static and ————, 1401
Dynamic properties: mechanical properties of polybutadiene rubbers, 1463
Dynamics: hydrated iron(II) cations in nafion polymer membranes, 1829
Dynamics: N.m.r. of solid biopolymers, 190
Dynamics of polymers in solution and melts, 163

Elastic extension: of an oriented crystalline fibre, 310
Elastomeric: Properties and structure of ———— two-stage emulsion interpenetrating networks, 1359
Elastomers: Electron microscopy of ———— containing *in-situ* precipitated silica, 2069
Elastoplastic semicrystalline copolymers: Melting and crystallization behaviour of ————: poly(ether ester), 1202
Electric fields: Crystallization in ———— of a semiflexible copolymer: *p*-hydroxybenzoate/ethylene terephthalate, 682
Electron beam irradiation: Degradation in tensile properties of aromatic polymers by ————, 1039
Electron beam irradiation: Molecular motions of non-crystalline poly(aryl ether-ether-ketone) and influence of ————, 501
Electron microscope: The interpretation of ———— images and scattering patterns from crazes, 483
Electron microscopy: Crystallization behaviour of random block copolymers of poly(butylene terephthalate) and poly(tetramethylene ether glycol), 8
Electron microscopy: of elastomers containing *in-situ* precipitated silica, 2069
Electron microscopy: Structure and crystal growth approach of poly(alkylacrylate) myelinic vesicles by ————, 837
Electro-optic effects: High-resolution laser-addressed liquid crystal polymer storage displays, 1801
E.s.c.a.: studies of corona-discharge-treated polyethylene surfaces by use of gas-phase derivatization, 1162
Electron spectroscopy for chemical analysis: Chlorination of irradiated polyethylene single crystals: 2. XES and ———— analysis of irradiated-chlorinated polyethylene, 38
Elongational flow: Assessment of molecular connectedness in semi-dilute polymer solutions by ————, 1219
Emulsion: Properties and structure of elastomeric two-stage ———— interpenetrating networks, 1359
Energy calculations: for the crystal structure of the high temperature phases (I and IV) of poly(tetrafluoroethylene), 1944
Engineering applications: Mechanical properties of poly(ether-ether-ketone) for ————, 1385
Engineering polymer: Milled fibre reinforced epoxy resin – an ———— composite, 1419
Entanglements: The contribution to rubber elasticity of topological ————, 1134
Enthalpy change: Calorimetric determination of the ———— for the binding of methyl orange to poly(vinylpyrrolidone) in aqueous solution, 751
Enthalpy relaxation: Effect of physical ageing on ———— and isothermal contraction in bisphenol A polycarbonate, 1546
Epoxide resins: Mechanical relaxation mechansim of ———— cured with diamines, 457
Epoxy blends: Influence of the temperature of cure on the mechanical properties of amine terminated rubbers/————, 1110
Epoxy networks: Crosslink distribution of ———— studied by small-angle neutron scattering, 1053
Epoxy prepregs: ^{1}H, ^{19}F and ^{11}B nuclear magnetic resonance characterization of BF_3: amine catalysts used in the cure of carbon-fibre- ————, 827
Epoxy resin: Milled fibre reinforced ———— – an engineering polymer composite, 1419
Epoxy resins: The sorption and diffusion of water in halogen-containing ————, 1167
Epoxy resins: Structure–water absorption relationships for amine-cured ————, 1719
Esterolysis: Catalytic ———— of *p*-nitrophenyl esters by optically active polymeric oximes, 1191
Ethylene: Homo- and copolymerization of ———— and propylene with a soluble chromium catalyst, 1888
Ethylene: Preparation of highly active chromium-catalysts for ———— polymerization, 1891
Ethylene: The structure of propylene–———— sequential copolymers, 1155
Ethylene: Thermal transitions of ———— vinyl chloride copolymers, 1195
Ethylene–propylene: Primary nucleation behaviour on isotactic polypropylene ———— random copolymer blends, 1843
Ethylene vinyl ester/alcohol: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and ———— copolymer, 45
Excimer: Picosecond ———— fluorescence spectroscopy: applications to

local motions of polymers and polymerization monitoring, 1657
Excimer fluorescence: technique for study of polymer segment mobility: applications to pyrene labelled poly(methyl methacrylate) and poly(methyl acrylate) in solution, 1046
Expansion factor: The θ-behaviour of heterogeneous macromolecules, 105
Expansion factor- θ-point of polyacrylamide in aqueous solution and temperature dependence of molecular dimensions, 406
Extensional rheometer: New ———— for elongational viscosity and flow birefringence measurements: some results on polystyrene melts, 1477

Fast reactions: Effect of compound composition on ———— of polyurethane and unsaturated polyester in the bulk state, 1247
Fatigue performance: Effects of sorbed water on properties of low and high molecular weight poly(methyl methacrylate): 11. ————, 89
Ferroelectric: N.m.r. study of the ———— phase transition in a 70/30 mole% copolymer of vinylidene fluoride and trifluoroethylene, 1683
Ferroelectric polarization: Modelling of chain twist boundaries in poly(vinylidene fluoride) as a mechanism for ————, 821
Fibre: Elastic extension of an oriented crystalline ————, 310
Fibre reinforced composites: Far-infra-red moisture monitoring in polymeric composites, 69
Fibre structure: An investigation into the structure of poly(ethylene terephthalate) fibres by the use of optical transforms, 469
Filaments: Raman microprobe spectra of spin-oriented and drawn ———— of poly(ethylene terephthalate), 1935
Filler: Characterization of chain binding to ———— in silicone–silica systems, 1231
Films: Thermal properties of gelatin ————, 113
Flavins: Polymer-bound ————: 5. Characterization by static and time-resolved fluorescence techniques, 951
Fluid phases: Investigations of polymer chains in oriented ———— with deuterium nuclear magnetic resonance, 177
Fluorescence: The determination of molecular orientation in oriented polypropylene by wide angle X-ray diffraction, polarized ———— and refractive index measurements, 1605
Fluorescence measurements: of the diffusion coefficient for butylated hydroxyanisole in low-density polyethylene, 433
Fluorescence recovery: Self-diffusion in concentrated polystyrene solutions measured in ———— after photobleaching, 1654
Fluorescence spectroscopy: Picosecond excimer ————: applications to local motions of polymers and polymerization monitoring, 1657
Fluorescence techniques: Polymer-bound flavins: 5. Characterization by static and time-resolved ————, 951
Fluorination: Heterogeneous ———— of chlorine containing polymers with 18-crown-6 as phase transfer agent, 786
Fluoropolymers: Heat capacities of polyethylene and linear ————, 1875
Foams: Low-density, microcellular polystyrene ————, 2047
Foam morphology: Low-density, microcellular polystyrene foams, 2047
Fracture: Molecular fractionation in melt-crystallized polyethylene. 4. ————, 1469
Fracture behaviour: Effects of sorbed water on properties of low and high molecular weight (poly(methyl methacrylate): 1. Deformation and ————, 511
*FT*i.r.: Concerning the miscibility of poly(vinyl phenol) blends ———— study, 228
*FT*i.r.: Hydrogen bonding in poly(methyl methacrylate)-fluorinated polymer blends: ———— investigations using ester model molecules, 1507
Furans: Copolymers of acrylonitrile with some ———— and their Diels–Alder adducts, 1268

Gamma irradiation: Irradiation effects on polycaprolactone, 50
Gas chromatography: ————/mass spectrometry investigations on living oligo(ethylene) species functionalized by oxygen, 1096
Gas chromatography: Pyrolysis ————/mass spectrometry of glycidyl methacrylate–alkyl acrylate copolymers, 747
Gas-phase derivation: E.s.c.a. studies of corona-discharge-treated polyethylene surfaces by use of ————, 1162
Gas transport: Selective ———— in miscible PPO-PS blends, 2055
g-factor: Unperturbed dimensions and the ———— of a star-shaped polystyrene, 1172
Gel formation: Irradiation effects on polycaprolactone, 50
Gel permeation chromatography: Can porosity properties of particles really be determined by inverse ————?, 575
Gel permeation chromatography: Comparison of molecular weight distribution models for polymers characterized by ————, 581
Gel permeation chromatography: Determination of molecular weight averages and molecular weight distribution by ———— and *N*-trifluoroacetylated polyamides, 1187
Gel permeation chromatography: Intramolecular crosslinking of poly(vinyl alcohol), 1737
Gel permeation chromatography: On the molecular weight determination of a poly(aryl-ether-ether-ketone), 1994
Gelatin: Grafting of butyl acrylate onto ———— in a water–isopropanol medium, 2064
Gelatin: Thermal properties of ———— films, 113
Gelation phenomena: Effects of unequal reactivity of functional groups on ————, in polyurethane systems, 595
Gels: Dependence of properties of swollen and dry polymer networks on the conditions of their formation in solution, 1667
Gels: Motional restrictions and chain conformation in various swollen crosslinked polystyrene ———— from ^{1}H n.m.r. line-shape analysis, 253
Geometric structure: Polymerization of 1-butyne and isopropylacetylene by transition metal catalysts and ———— of polymers, 793
Glass: The time-dependent strain potential function for a polymeric ————, 543
Glass transition: Depolarization current in phenol-formaldehyde resin below the ————, 1141
Glass transition: Deuteron n.m.r. in relation to the ———— in polymers, 203
Glass transition: Dielectric properties of polyarylate around the ————, 913
Glass transition: Effect of physical ageing on the properties of amorphous poly(aryl-ether-ether-ketone), 905
Glass transition: Photon correlation spectroscopy study of poly(di-n-butyl itaconate) near T_g, 66
Glass transition: Synthesis and characterization of model comb-branched polyurethanes: 2. Dilute solution and viscoelastic properties, 91
Glass transition: Thermal properties of gelatin films, 113
Glass transition temperature: Determination of the ———— of poly(styrene-co-divinyl-benzene) by inverse gas chromatography. 1181
Glass transition temperatures: Studies of cyclic and linear poly(dimethylsiloxanes): 19. ———— and crystallization behaviour, 930
Glass transition temperature: The ———— of poly(*N*-vinyl pyrrolidone) by differential scanning calorimetry, 757
Glassy polymers: Molecular scale deformation in the yielding behaviour of ————, 1807
Glycidyl methacrylate–alkyl acrylate copolymers: Pyrolysis/gas chromatography//mass spectrometry of ————, 747
Gradient diffusion: Diffusion of poly(ethylene oxide) in semidilute aqueous solution: Dynamic light scattering and ————, 1647
Graft copolymers: Reactions of macroions leading to ———— crosslinking and grafting of poly(vinyl chloride) by carbanions, 1575
Grafting: of butyl acrylate onto gelatin in a water–isopropanol medium, 2064
Guest conformation: Polyethylene mixed crystal infra-red spectroscopy: the influence of matrix isotopic species on ———— —, 1921

Head-to-head polymers: 33. Bromination of *cis*-1,4-polybutadiene to head-to-head poly(vinyl bromide), 1257
Heat capacities: of polyethylene and linear aliphatic polyoxides, 561
Heat capacities: of polyethylene and linear fluoropolymers, 1875
Heat resistance: A novel cyclomatrix polymer based on (hydroxy phenoxy) phosphazenes and 2-methyl aziridine: some aspects of synthesis and adhesive ————, 1895
Heparin: Surface-grafted heparinizable materials, 1349
Heparinizable materials: Surface-grafted ————, 1349
Heterogeneous: The θ-bahaviour of ———— macromolecules, 105
Hexagonal phases: On ———— of paraffins and polyethylenes, 726
1,6-hexane diol: Polyesterification and isomerization of maleic anhydride and ———— as studied by ^{1}H and ^{13}C n.m.r., 1099
n-hexatriacontane-n-hexatriacontane-d_{74}: Infra-red bandshapes of methylene-d_2 bending vibrations in ————, 219

High modulus: Microstructure of ———— solid state extruded polyethylene: 2. X-ray scattering studies of 12,24 and 36 extrusion draw ratio, 17
High modulus fibres: of nylon-6 prepared by a dry-spinning method, 1394
History: Speciality polymers: prospect–retrospect, 1284
Homopolymerization: Homo- and copolymerization of ethylene and propylene with a soluble chromium catalyst, 1888
Hydrodynamic interaction: Quasielastic scattering from dilute polymer solutions, 1212
Hydrogen bonding: in poly(methyl methacrylate-fluorinated polymer blends: *FT*i.r. investigations using ester model molecules, 1507
Hydrogen peroxide: Polymer–metal complexes based on poly(itaconic acid ester) derivatives, as catalysts for the decomposition of ————, 1571
Hydrolytic stability: and protective properties of polyurethane oligomers based on polyester/ether/polyols, 1901
Hydroxyanisole: Fluorescence measurements of the diffusion coefficient for butylated ———— in low-density polyethylene, 433
p-hydroxybenzoate/ethylene terephthalate: Crystallization in electric fields of a semiflexible copolymer: ————, 682
p-hydroxybenzoic acid: Three-dimensional structure of copolymers of ———— and 2-hydroxy-6-naphthoic acid: a model for diffraction of a nematic structure, 997
2-hydroxy-6-naphthoic acid: Three-dimensional structure of copolymers of *p*-hydroxybenzoic acid and ————: a model for diffraction of a nematic structure, 997
(Hydroxy phenoxy) phosphazenes: A novel cyclomatrix polymer based on ———— and 2-methyl aziridine: some aspects of synthesis and adhesive heat resistance, 1895

Indion-225: Comparative evaluation of thermal stabilities of novel sulphonic acid resins from anhydride modified polystyrene with commercial polystyrene based resins, ———— and Zeocarb 225, 1365
Inelastic electron tunnelling spectroscopy: An ———— study of poly(vinylacetate) poly(methyl methacrylate) and poly(vinyl-alcohol) absorbed on aluminium oxide, 551
Infra-red: An ———— study of the structure of oriented poly(ethylene terephthalate) fibres, 1779
Infra-red: bandshapes of methylene-d_2 bending vibrations in n-hexatriacontane-n-hexatriacontane-d_{74}, 219
Infra-red: spectroscopic characterization of the $\alpha \rightarrow \beta$ phase transition in poly(tetramethylene terephthalate), 235
Infra-red spectroscopy: Fourier transform ———— of nylon-6 blends: binary blends with poly(methyl methacrylate) and ethylene vinyl ester/alcohol copolymer, 45
Infra-red spectroscopy: Polyethylene mixed crystal ————: The influence of matrix isotopic species on guest conformation, 1921
'Inifer' technique: Properties of polyisobutylene polyurethane block copolymers: 2. Macroglycols produced by the ————, 55
Initiation: Catalytic ———— of polyacrylonitrile stabilization, 447
Interaction parameters: Stereoregular poly(alkyl methacrylate)s: polymer–polymer and copolymer–polymer blends, 1795
Internal dynamics: Evaluation of internal dynamics in linear macromolecules, 1003
Interpenetrating networks: Properties and structure of elastomeric two-stage emulsion ————, 1359
Interphases: Asymmetric composition profiles in block copolymer ————: 1. Experimental evidence, 2021
Interphases: Asymmetric composition profiles in block copolymer ————: 2. Thermodynamic model predictions and implications, 2026
Inverse gas chromatography: Determination of the glass transition temperature of poly(styrene-co-divinylbenzene) by ————, 1181
Iron(II) cations: Dynamics of hydrated ———— in nafion polymer membranes, 1829
Irradiation effects on polycaprolactone, 50
Isomerization: Polyesterification and ———— of maleic anhydride and 1,6-hexane diol as studied by ^1H and ^{13}C n.m.r., 1099
Isophorone di-isocyanate: The kinetics of the reaction of ———— with monoalcohols, 301
Isopropylacetylene: Polymerization of 1-butyne and ———— by transition metal catalysts and geometric structure of polymers, 793
Isosteric heat: of sorption of CO_2 in poly(ethylene terephthalate), 2043
Isotacticity: Stereochemical composition–property relationships in isotactic polypropylenes obtained with different catalyst systems, 259
Isotape effects: on the phase separation in polystyrene–poly(vinylmethylether) blends, 73
Isothermal contraction: Effect of physical ageing on enthalpy relaxation and ———— in bisphenol A polycarbonate, 1546
Isothermal immersion: Photo-electret studies of pure and doped polystyrene films, 1025

Kinetic analysis: of the crystallization of poly(*p*-phenylene sulphide), 1595
Kinetic rate: Unsaturated polyester–styrene resins: Effect of the catalyst concentration on the ———— and activation energy of the radical crosslinking reactions, 1885
Kinetic substrate length: The ———— in nucleation-controlled crystallization in polyethylene fractions, 803
Kinetics: acid catalysed degradation of cellulose triacetate in chloroalkane solvents: 1. Dichloromethane, 297
Kinetics: Bulk copolymerization of styrene and acrylonitrile: Experimental ———— and mathematical modelling, 2001
Kinetics: Chlorination of irradiated polyethylene single crystals: 1. Analysis of alkyl radical decay ————, 27
Kinetics: Isothermal crystallization of poly(ethlene-terephthalate) of low molecular weight by differential scanning calorimetry: 1. Crystallization ————, 423
Kinetics: Models for the formation of poly(butylene terephthalate): effect of water on the ———— of the titanium tetrabutylate-catalysed reactions: 3, 1745
Kinetics: Study on ———— of copolymerization of styrene and maleic anhydride in methyl ethyl ketone, 629
Kinetics: The ———— of the reaction of isophorone di-isocyanate with monoalcohols, 301
Kinetics: Thermal polymerization of *p*-methyl styrene at high conversions and temperatures, 608

Lamellar: The spherulitic and ———— morphology of melt-crystallized isotactic polypropylene, 704
Lamellar: On the ———— morphology of melt-crystallized isotactic polystyrene, 717
Laser: Far-infra-red moisture monitoring in polymeric composites, 69
Laser flash photolysis: On the photolysis of acylphosphine oxides: 1. ———— studies with 2,4,6-trimethylbenzoyl-diphenyl-phosphine oxide, 141
Light scattering: Light and neutron scattering studies of excess low-angle scattering in moderately concentrated polystyrene solutions, 673
Light scattering: On the molecular weight determination of a poly(aryl-ether-ether-ketone), 1994
Linear macromolecules: Evaluation of internal dynamics in ————, 1003
Line-shape snalysis: Motional restrictions and chain conformation in various swollen cross-linked polystyrene gels from ^1H n.m.r. ————, 253
Liquid crystal: Investigations of polymer chains in oriented fluid phases with deuterium nuclear magnetic resonance, 177
Liquid crystals: Liquid crystalline polymers as additives to enhance the device properties of low molecular mass ————, 1312
Liquid crystal polymer: 19. Cholesteric main chain polyesters with triad aromatic ester mesogenic units and chiral polyalkylene spacers, 1301
Liquid crystal polymer: High-resolution laser-addressed ———— storage displays, 1801
Liquid crystal polymer: Molecular correlations in sheared thermotropic copolyesters showing banded textures, 870
Liquid crystal polymers: Polymers with rigid anisotropic side groups: 2. Synthesis and properties of some side chain acrylate and methacrylate ———— containing the 4'-alkylbiphenyl-4-yl moiety, 615
Liquid crystal polymers: 21. Thermotropic properties and crystallization-induced reactions of aromatic copolyesters, 1307
Liquid crystalline polymer: Polyblends containing a ————, 1325
Liquid crystalline polymers: A study of the static and dynamic properties of side-chain ———— in low molar mass mesogens, 1319
Liquid crystalline polymers: as additives to enhance the device properties of low molecular mass liquid crystals, 1312
Lithiation: Preparation of substituted poly(vinylthiophene)s via ———— of poly(vinylthiophene), 1695
Localization: of oxidation in polypropylene, 1713

Macroglycols: Properties of polyisobutylene polyurethane block copolymers: 2. ———— produced by the 'inifer' technique, 55

Macroinitiators: Polymerization of methyl methacrylate with mechano-chemically synthesized ————, 452
Macroinorganics: New developments in ———— – the thermodynamics of basic polymers, 1353
Macroion transformation: Reactions of macroions leading to block and/or graft copolymers: ———— anion→cation and cation→anion, 1733
Macroions: Reactions of ———— leading to graft copolymers: crosslinking and grafting of poly(vinyl chloride) by carbanions, 1575
Macromers: Polymerization of poly(dimethylsiloxane) ————: 1. Copolymerization with styrene, 437
Macromolecular migration: N.m.r. and ———— in a melt or in concentrated solutions, 197
Macromolecules: Modelling 'melting' in ————, 3
Macromolecules: The θ-behaviour of heterogeneous ————, 105
Macrovoids: A mathematical model for diffusion with induced crystallization: 1., 119
Magnesium alkyl: Butadiene polymerization with a rare earth compound using a ———— cocatalyst: 1., 147
Magnesium alkyl: Butadiene polymerization with a rare earch compound using a ———— cocatalyst: 2., 152
Maleic anhydride: Polyesterification and isomerization of ———— and 1,6-hexane diol as studied by ^{1}H and ^{13}C n.m.r., 1099
Maleic anhydride: Study on kinetics of copolymerization of styrene and ———— in methyl ethyl ketone, 629
Mass spectrometry: Gas chromatography/mass spectrometry investigations on living oligo(ethylene) species functionalized by oxygen, 1096
Mass spectrometry: Pyrolysis/gas chromatography/———— of glycidyl methacrylate—alkyl acylate copolymers, 747
Mathematical model: A ———— for diffusion with induced crystallization: 1., 119
Mathematical model: A ———— for diffusion with induced crystallization: 2., 131
Mathematical modelling: Bulk copolymerization of styrene and acrylonitrile: Experimental kinetics and ————, 2001
Mechanical: and physical properties of ultra-oriented polyoxymethylene produced by microwave heating drawing, 462
Mechanical-dynamical: Dielectric and ———— studies on poly(cyclohexyl methacrylate), 1849
Mechanical properties: Catalytic initiation of polyacrylonitrile stabilization, 447
Mechanical properties: Dynamic properties ———— of polybutadiene rubbers, 1463
Mechanical properties: Influence of the temperature of cure on the ———— of amine-terminated rubber/epoxy blends, 1110
Mechanical properties: Infra-red spectroscopic characterization of the α–β phase transition in poly(tetramethylene terephthalate), 235
Mechanical properties: of poly(ether-ether-ketone) for engineering applications, 1385
Mechanical properties: Thermal and ———— of solution polymerized segmented polyurethanes with butadiene soft segments, 895
Mechanical relaxation: mechanism of epoxide resins cured with diamines, 457
Melt-behaviour: Crystallization and ———— of isotactic poly(2-vinylpyridine), 283
Melting: and crystallization behaviour of elastoplastic semicrystalline copolymers: poly(ether ester), 1202
'Melting': Modelling ———— in macromolecules, 3
Melting: Stereochemical composition–property relationships in isotactic polypropylenes obtained with different catalyst systems, 259
Melts: Dynamics of polymers in solution and ————, 163
Melt: N.m.r. and macromolecular migration in a ———— or in concentrated solutions, 197
Membrane formation: Phase separation phenomena in solutions of polysulfone in mixtures of a solvent and a nonsolvent: relationship with ————, 1539
Membranes: D.s.c. investigation of the states of water in poly(vinyl alcohol) ————, 1207
Mesogens: A study of the static and dynamic properties of side-chain liquid crystalline polymers in low molar mass ————, 1319
Mesophases: Optical properties of (acetoxypropyl) cellulose ———— factors influencing the cholesteric pitch, 1435
Metallo-polymers: Polymerization of methyl methacrylate with mechano-chemically synthesized macroinitiators, 452
2-methyl aziridine: A novel cyclomatrix polymer based on (hydroxy phenoxy) phosphazenes and ————: some aspects of synthesis and adhesive heat resistance, 1895
Methyl methacrylate: Polymerization of ———— with mechano-chemically synthesized macroinitiators, 452
Methyl orange: Calorimetric determination of the enthalpy change for the binding of ———— to poly(vinylpyrrolidone) in aqueous solution, 751
p-methyl styrene: Free radical polymerization of ————, 935
p-methyl styrene: Thermal polymerization of ———— at high conversions and temperatures, 608
Methylene-d_2 bending: Infra-red bandshapes of ———— vibrations in n-hexatriacontane-n-hexatriacontane-d_{74}, 219
Microphase structure: ———— separated and blood compatibility of segmented poly(urethaneureas) with different diamines in the hard segment, 978
Microphase structure: separated ———— surface composition and blood compatibility of segmented poly(urethaneureas) with various soft segment components, 987
Microscopy: Crystallization and melt behaviour of isotactic poly(2-vinylpyridine), 283
Microstructure: Anionic telomerization of butadiene with toluene and diphenylmethane: ———— and molecular weight, 1265
Microstructure of high modulus solid state extruded polyethylene: 2. X-ray scattering studies of 12,24 and 36 extrusion draw ratio, 17
Microwave field: Polyurethane curing by a pulsed ————, 506
Microwave frequencies: Dielectric properties of polymers at ————: a review, 963
Microwave heating: Mechanical and physical properties of ulta-oriented polyoxymethylene produced by ———— drawing, 462
Microwave heating: Morphological changes of wide polyoxymethylene rod during a ———— drawing process, 1929
Milling: Milled fibre reinforced epoxy resin: an engineering polymer composite, 1419
Miscibility: Binodal and spinodal curves: a simulation for various high polymer mixtures, 418
Miscibility: Concerning the ———— of poly(vinyl phenol) blends: *FT*i.r. study, 228
Miscibility: Influence of the tacticity of poly(methyl methacrylate) on the ———— with poly(vinyl chloride), 1725
Miscibility: Predicted ———— of polystyrene and poly(α-methyl styrene) and comparison with experiment, 1662
Mitiation: Studies on the polymerization of *p*-cresyl glycidyl ether initiated by light-sensitive arenecyclopentadienyl iron salts, 1864
Modelling 'melting' in macromolecules, 3
Modification: of polymer surfaces by far-ultraviolet radiation of low and high (laser) intensities, 1297
Moisture monitoring: Far-infra-red ———— in polymeric composites, 69
Molecular conformation: and interactions in oligomeric mixtures of polystyrene with polybutadiene: a small-angle neutron scattering study, 1554
Molecular connectedness: Assessment of ———— in semi-dilute polymer solutions by elongational flow, 1219
Molecular correlations: in sheared thermotropic copolyesters showing banded textures, 870
Molecular dimensions: θ point of polyacrylamide in aqueous solution and temperature dependence of the ————, 406
Molecular dynamics: N.m.r. study of ———— in chemically crosslinked polyethylene, 557
Molecular fractionation: in melt-crystallized polyethylene. 4. Fracture, 1469
Molecular interpretation: Relaxation processes in crystalline polymers: ———— a review, 1123
Molecular motion: Deuteron n.m.r. in relation to the glass transition in polymers, 203
Molecular motion: N.m.r. studies of ———— in modified polypropylene, 1455
Molecular motions: of non-crystalline poly(aryl ether ether ketone) and influence of electron beam irradiation, 501
Molecular orientation: The determination of ———— in oriented polypropylene by wide-angle X-ray diffraction, polarized fluorescence and refractive index measurements, 1605
Molecular weight: Anionic telomerization of butadiene with toluene and diphenylmethane: microstructure and ————, 1265
Molecular weight: Butadiene polymerization with a rare earth compound using a magnesium alkyl cocatalyst: 2., 152
Molecular weight: Effects of ———— and plasticization on dissolution rates of thin polymer films, 1069
Molecular weight: Effects of sorbed water on properties of low and high ————

poly(methyl methacrylate): 11. Fatigue performance, 89
Molecular weight averages: Determination of ———— and molecular weight distribution by g.p.c. and *N*-trifluoroacetylated polyamides, 1187
Molecular weight determination: On the ———— of a poly(aryl-ether-ether-ketone), 1994
Molecular weight distribution: Comparison of ———— models for polymers characterized by g.p.c., 581
Molecular weight distribution: Determination of molecular weight averages and ———— by g.p.c. and *N*-trifluoroacetylated polyamides, 1187
Molecular weight distribution functions: A discussion of the derivation of ———— of linear step-growth polymerization, 76
Molecular weight distributions: Characterization of poly(1,4-phenyleneterephthalamide) in concentrated sulphuric acid. 2. Determination of ————, 1408
Mono-alcohols: The kinetics of the reaction of isophorone di-isocyanate with ————, 301
Monte-Carlo calculations: on statistical chains enclosed inside a sphere, 1631
Monte-Carlo simulation: of the collapse transition of a two-dimensional polymer, 1814
Morphological changes: of wide polyoxymethylene rod during a microwave heating drawing process, 1929
Morphology: ^{13}C and ^{1}H n.m.r. studies of solid polyolefines, 169
Morphology: Crystallization behaviour of random block copolymers of poly(butylene terephthalate) and poly(tetramethylene ether glycol), 8
Morphology: Crystallization ———— structure and thermal behaviour of nylon-6 rubber blends, 270
Morphology: Domain ———— in polyurethanes, 490
Morphology: Effect of thermal history on the ———— of thermotropic liquid crystalline copolyesters based on poly(ethylene terephthalate) and para-hydroxybenzoic acid, 689
Morphology: Influence of ———— on the transport properties of polystyrene/polybutadiene blends. 1. Experimental studies, 1073
Morphology: Influence of ———— on the transport properties of polystyrene/polybutadiene blends: 2. Modelling results, 1239
Morphology: On the lamellar ———— of melt-crystallized isotactic polystyrene, 717
Morphology: The spherulitic and lamellar ———— of melt-crystallized isotactic polypropylene, 704
Motional restrictions: and chain conformation in various swollen crosslinked polystyrene gels from ^{1}H n.m.r. line-shape analysis, 253
Moynihan Model: Structural relaxation in polystyrene: changes in the recovery function with increasing relaxation, 77
Multiple transitions: in polyalylbenzene: 1. Thermophysical properties, 1443
Multiple transitions: in polyalylbenzene: 2. Dielectric relaxations: relationship between structure and properties, 1448
Myelinic vesicles: Structures and crystal growth approach of polt(alkylacrylate) ———— by electron microscopy, 837
Nafion polymer membranes: Dynamics of hydrated iron(II) cations in ————, 1829
2,6-naphthyl groups: The *B*-loss process in liquid crystal polyesters containing ————, 1623
Nematic structure: Three-dimensional structure of copolymers of *p*-hydroxybenzoic acid and 2-hydroxy-6-naphthoic acid: A model for diffraction of a ————, 997
Network structure: Mechanical relaxation mechanism of epoxide resins cured with diamines, 457
Neutron scattering: Ligh and ———— studies of excess low-angle scattering in moderately concentrated polystyrene solutions, 673
Nitrocellulose: Dielectric studies of the effect of water on the relaxation properties of nitroglycerine– ———— mixtures, 1227
Nitrocellulose: Relaxation in double base propellants, 79
Nitrocellulose: Temperature effects on the birefringence of ———— and nitrocellulose//nitroglycerine mixtures, 643
Nitroglycerine: Dielectric studies of the effect of water on the relaxation properties of ———— nitrocellulose mixtures, 1227
Nitroglycerine: Relaxations in double base propellants, 79
Nitroglycerine: Temperature effects on the birefringence of nitrocellulose and ———— mixtures, 643
p-nitrophenyl esters: Catalytic esterolysis of ———— by optically active polymeric oximes, 1191
Non-Fickian diffusion: A mathematical model for diffusion with induced crystallization: 2., 131
Novolacs: A ^{13}C n.m.r. study of the sulphonation of ————, 1369
Nuclear magnetic relaxation: Theory of ————, 193
N.m.r.: An ———— and d.s.c. investigation of the solubility conditions of didecylphenyl-phosphite in rigid poly(vinyl chloride), 307
N.m.r.: Broad line ———— study of oriented poly(vinylidene fluoride), 208
N.m.r.: ^{13}C and ^{1}H ———— studies of solid polyolefines, 169
N.m.r.: ^{13}C ———— study of the sulphonation of novolacs, 1369
N.m.r.: ^{13}C relaxation study of poly(aspartic acid), 667
N.m.r.: ^{13}C ———— study of poly[(S)-5-methyl-1-heptane] and poly(1-heptene) prepared by Ziegler–Natta catalyst, 1459
N.m.r.: Cellulose–water systems: water proton spin-lattice relaxation in the rotating reference frame, 859
N.m.r.: Chain conformation of polyethylene in the solid state as studied by ^{13}C cross-polarization/magic angle spinning ———— spectroscopy, 1864
N.m.r.: Deuteron ———— in relation to the glass transition in polymers, 203
N.m.r.: Dielectric and ^{13}C ———— studies of various stereostructural forms of poly(*N*-vinyl carbazole), 2014
N.m.r.: Effect of polydispersity on measuring polymer self-diffusion with the ———— pulsed field gradient technique, 1677
N.m.r.: Ferroelectric phase transition in a 70/30 mole% copolymer of vinylidene fluoride and trifluoroethylene, 1683
N.m.r.: ^{1}H, ^{19}F and ^{11}B ———— characterization of BF_3: amine catalysts used in the cure of carbon-fibre-epoxy prepregs, 827
N.m.r.: Investigations of polymer chains in oriented fluid phases with deuterium ————, 177
N.m.r.: Local composition heterogeneities occurring during crystallization in poly(vinylidene fluoride)/poly(methyl methacrylate) blends as studied by high-resolution solid state ^{13}C ————, 1081
N.m.r.: Macromolecular migration in a melt or in concentrated solutions, 197
N.m.r. Molecular dynamics in chemically crosslinked polyethylene, 557
N.m.r.: Molecular motion in modified polypropylene, 1455
N.m.r.: Motional restrictions and chain conformation in various swollen crosslinked polystyrene gels from ^{1}H ———— line-shape analysis, 253
N.m.r.: Pulsed field gradient ———— measurements and theoretical interpretation of the self-diffusion of polystyrene in solution, 241
N.m.r.: Polyesterification and isomerization of maleic anhydride and 1,6-hexane diol as studied by ^{1}H and ^{13}C ————, 1099
N.m.r.: Poly(vinyl chloroformate) and its derivatives: 5. New poly(vinyl carbamates) and poly(vinyl thiocarbonates), 443
N.m.r.: Self diffusion of small molecules in aqueous solution of poly(vinylpyrrolidone), 940
N.m.r.: Solid biopolymers, 190
Nucleation: Kinetic substrate length in ————controlled crystallization in polyethylene fractions, 803
Nucleation: Temperature dependence of birefringence for strained natural rubber vulcanizates, 97
Nucleation behaviour: Primary ———— in isotactic polypropylene/ethylene-propylene random copolymer blends, 1843
Nylon-4,6: Preparation and properties of high molar mass ————: a new development in nylon polymers, 1582
Nylon-6: Crystallization, morphology, structure and thermal behaviour of ———— rubber blends, 270
Nylon-6: Fourier transform infra-red spectroscopy of ———— blends: binary blends with poly(methyl methacrylate) and ethylene vinyl ester/alcohol copolymer, 45
Nylon-6: High-modulus fibres of ———— prepared by a dry-spinning method, 1394
Nylon-6: Thermal expansivity of oriented ———— and nylon-6,6, 884
Nylon-6,6: Thermal expansivity of oriented nylon-6 and ————, 884
Nylon-12: Cooperative relaxation processes in polymers, 1034
Nylon polymers: Preparation and properties of high molar mass nylon-4,6: a new development in ————, 1582
Nylon salts: Solid-state polyamidation of ———— possible mechanism for the transition solid–melt, 413
Oligo(ethylene): Gas chromatography/mass spectrometry investigations on living ———— species functionalized by oxygen, 1096
Optical properties: of (acetoxypropyl) cellulose mesophases: factors influencing the cholesteric pitch, 1435
Optical rotatory dispersion: and circular dichroism studies of copolyaspartates with long alkyl side chain, 848

Optical transforms: An investigation into the structure of poly(ethylene terephthalate) fibres by the use of ————, 469

Optical waveguiding: in doped poly(methyl methacrylate), 1423

Optically active: Catalytic esterolysis of *p*-nitrophenyl esters by ———— polymeric oximes, 1191

Oriented polymers: Compensation method for zero birefringence in ————, 1619

Oriented polymers: Thermally stimulated shrinkage forces in ————: 1. Temperature dependence, 1011

Oriented polymers: Thermally stimulated shrinkage forces in ————: 2. Time dependence, 1019

Orientation: A broad line n.m.r. study of oriented poly(vinylidene fluoride), 208

Orientation: Doubly oriented B-form films of poly(vinylidene fluoride), 853

Orientation: Interpretation of ———— strain relationships in rubbers and thermoplastics, 1755

Orientation: Investigations of polymer chains in oriented fluid phases with deuterium nuclear magnetic resonance, 177

Orientation: Polarization and piezoelectric coefficients of poly(vinylidene fluoride) form-I-films: A model including crystalline ————, 1825

Orientation: Relaxation in uniaxially stretched poly(vinyl methyl ether)-atactic polystyrene blends, 879

Orientation: Thermal expansivity of oriented nylon-6 and nylon-6,6, 884

Oxidation: Localization of ———— in polypropylene, 1713

Oximes: Catalytic esterolysis of *p*-nitrophenyl esters by optically active polymeric ————, 1191

Packing energy: Conformational and ———— calculations on two crystalline modifications of poly(*trans*-1,4-butadiene), 2039

Paraffins: On hexagonal phases of ———— and polyethylenes, 726

Permeation: Selective ———— across a blend film of cellulose acetate and polymers or copolymers of c-(N^{ε}-AcLys–Sar), 774

Phase behaviour: Thermodynamics of the ———— of poly(vinyl chloride)/aliphatic polyester blends, 763

Phase behaviour: Polyethylene deutero-polyethylene ————, 1523

Phase diagrams: Binodal and spinodal curves: a simulation for various high polymer mixtures, 418

Phase separation: Isotape effects on the ———— in polystyrene–poly(vinyl methylether) blends, 73

Phase separation: in styrenated polyester resin containing a poly(vinyl acetate) low-profile additive, 109

Phase separation: studies in RIM polyurethanes catalyst and hard segment crystallinity effects, 1145

Phase separation: phenomena in solutions of polysulfone in mixtures of a solvent and a nonsolvent: relationship with membrane formation, 1539

Phase separation: in polymer blends comprising copolymers: 4. Polycarbonate/polystyrene ABCP system, 1689

Phase separation: A preliminary study of the dynamics of ———— in oligomeric polystyrene–polybutadiene blends, 1708

Phase structure: and adhesion in polymer blends: A criterion for rubber toughening, 1855

Phase transfer agent: Heterogeneous fluorination of chlorine containing polymers with 18-crown-6 as ————, 786

Phase transition: Infra-red spectroscopic characterization of the α-β phase transition in poly(tetramethylene terephthalate), 235

Phase transition: in swollen gels: 7. Effect of charge concentration on the temperature collapse of poly(*N*,*N*,-diethylacrylamide) networks in water, 1514

Phase transition: N.m.r. study of the ferroelectric ———— in a 70/30 mole% copolymer of vinylidene fluoride (VF_2) and trifluoroethylene (TrFE), 1683

Phenol-formaldehyde resin: Depolarization current in ———— below the glass transition, 1141

Photobleaching: Self-diffusion in concentrated polystyrene solutions measured by fluorescence recovery after ————, 1654

Photo-electret studies: of pure and doped polystyrene films, 1025

Photoinitiators: On the photolysis of acylphosphine oxides: 1. Laser flash photolysis studies with 2,4,6-trimethylbenzoyldiphenylphosphine oxide, 141

Photolysis: On the ———— of acylphosphine oxides: 1. Laser flash photolysis studies with 2,4,6-trimethylbenzoyldiphenylphosphine oxide, 141

Photon correlation spectroscopy: A ———— study of poly(di-n-butyl itaconate) near T_g, 66

Photon correlation spectroscopy: Evaluation of internal dynamics in linear macromolecules, 1003

Physical ageing: Structural relaxation in polystyrene: changes in the recovery function with increasing relaxation, 77

Physical ageing: Effect of ———— on the properties of amorphous PEEK, 905

Physical ageing: Effect of ———— on enthalpy relaxation and isothermal contraction in bisphenol A polycarbonate, 1546

Physical ageing: Rejuvenation and ———— of a polycarbonate film subjected to finite tensile strains, 1979

Physical properties: Mechanical and ———— of ultra-oriented polyoxymethylene produced by microwave heating drawing, 462

Piezoelectric coefficients: Polarization and ———— of poly(vinylidene fluoride) form-I-films: A model including crystalline orientation, 1825

Piezoelectricity: Piezo- and pyroelectricity in polymer blends of poly(vinylidenefluoride)/poly(methyl methacrylate), 1611

Plastic: deformation in linear polyethylene, 1501

Plasticization: Effects of molecular weight and ———— on dissolution rates of thin polymer films, 1069

Plateau region: Studies of cyclic and linear poly(dimethylsiloxanes): 18. Surface pressures of the monolayers in the ————, 925

Plateau zone: Properties of the ———— of star-branched polybutadienes and polystyrenes, 1091

Polarization: and piezoelectric coefficients of poly(vinylidene fluoride) form-I-films: A model including crystalline oreintation, 1825

Poly(4-acetoxystyrene): Unperturbed dimension of ———— measured in good and theta solvents, 1175

Polyacetylene copolymers: Synthesis of highly conducting polystyrene–————, 622

Polyacrylamide: Theta point of ———— in aqueous solution and temperature dependence of the molecular dimensions, 406

Polyacrylonitrile: Catalytic initiation of ———— stabilization, 447

Poly(alkylacrylate): Structure and crystal growth approach of ———— myelinic vesicles by electron microscopy, 837

Polyalkylene: Liquid crystal polymers: 19. Cholesteric main chain polyesters with triad aromatic ester mesogenic units and chiral ———— spacers, 1301

Poly(alkyl methacrylate)s: Stereoregular ———— polymer–polymer and copolymer–polymer blends, 1795

Polyallylbenzene: Multiple transitions in ————: 1. Thermophysical properties, 1443

Polyallylbenzene: Multiple transitions in ———— 2. Dielectric relaxations: relationship between structure and properties, 1448

Polyamidation: Solid state ———— of nylon salts: possible mechanism for the solid–melt transition, 413

Polyamide fibres: Creep of aromatic ————, 733

Polyamides: Determination of molecular weight averages and molecular weight distribution by g.p.c. and *N*-trifluoroacetylated ————, 1187

Poly(amido-amine)s: Synthesis, physicochemical properties and biochemical applications of ————, 1336

Polyarylate: Dielectric properties of ———— (PAr) around the glass transition, 913

Poly(aryl ether ether ketone): Molecular motions of non-crystalline ———— PEEK and influence of electron beam irradiation, 501

Poly(aryl ether ether ketone): Molecular weight determination of a ———— (PEEK), 1994

Poly(aspartic acid): ^{13}C n.m.r. relaxation study of ————, 667

Poly(bis(trifluoro-ethoxy)phosphazene): Spherulitic crystallization in ————, PBFP, 1971

Polyblends: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and ethylene vinyl ester/alcohol copolymer, 45

Polyblends: containing a liquid crystalline polymer, 1325

Polybutadiene: Butadiene polymerization with a rare earth compound using a magnesium alkyl cocatalyst: 1., 147

Polybutadiene: Butadiene polymerization with a rare earth compound using a magnesium alkyl cocatalyst: 2., 152

Polybutadiene: Kinetics of the reaction of isophorone di-isocyanate with monoalcohols, 301

Polybutadiene: Influence of morphology on the transport properties of polystyrene/———— blends: 1. Experimental studies, 1073

Polybutadiene: Influence of morphology on the transport properties of polystyrene/———— blends: 2. Modelling results, 1239

cis-1,4-Polybutadiene: Head-to-head polymers 33. Bromination of ———— — to head-to-head poly(vinyl bromide), 1257

Polybutadiene: Dynamic mechanical properties of ———— rubbers, 1463

Polybutadiene: Molecular conformation and interactions in oligomeric mixtures of

polystyrene with ————: a small-angle neutron scattering study, 1554
Polybutadiene: Differences in the molecular weight and the temperature dependences of self-diffusion and zero shear viscosity in linear polyethylene and hydrogenated ————, 1651
Polybutadiene: A preliminary study of the dynamics of phase separation in oligomeric polystyrene–———— blends, 1708
Polybutadiene: Crazing in polystyrene–———— diblock copolymers containing cylindrical polybutadiene domains, 1985
Poly(*trans*-1,4-butadiene): Conformational and packing energy calculations on two crystalline modifications of ————, 2039
Polybutadienes: Properties of the plateau zone of star-branched ———— and polystyrenes, 1091
Polybutadiene stars: Linear viscoelastic properties of mixtures of 3- and 4-arm ————, 1087
Poly(butylene terephthalate): Crystallization behaviour of random block copolymers of ———— and poly(tetramethylene ether glycol), 8
Poly(butylene terephthalate): Models for the formation of ————: effect of water on the kinetics of the titanium tetrabutylate-catalysed reactions: 3., 1745
Polycaprolactone: Irradiation effects on ————, 50
Polycaprolactones: Synthesis and characterization of model comb-branched polyurethanes: 1. Synthesis of model comb-branched polyurethanes, 84
Polycarbonate: Phase separation in polymer blends comprising copolymers: 4. ————/polystyrene ABCP system, 1689
Polycarbonate: Rejuvenation and physical ageing of a ———— film subjected to finite tensile strains, 1979
Poly(1,4-*trans*-cyclohexane diyldimethylene adipate): Polymorphism and structure of form I, using X-ray diffraction, 1029
Poly(cyclohexyl methacrylate): Dielectric and mechanical–dynamical studies on ————, 1849
Poly(diaryl siloxanes): Crystalline structure of ————, 1527
Poly(di-n-butyl itaconate): A photon correlation spectroscopy study of ———— near T_g, 66
Poly(*N*,*N*-diethylacrylamide): Phase transition in swollen gels: 7. Effect of charge concentration on the temperature collapse of ———— networks in water, 1514
Poly(dimethylsiloxane): Polymerization of ———— macromers: 1. Copolymerization with styrene, 437
Poly(dimethylsiloxane): Dependence of properties of swollen and dry polymer networks on the conditions of their formation in solution, 1667
Poly(dimethylsiloxanes): Studies of cyclic and linear ————: 18. Surface pressures of the monolayers in the plateau region, 925
Poly(dimethylsiloxanes): Studies of cyclic and linear ————: 19. Glass transition temperatures and crystallization behaviour, 930
Polydispersity: Effect of ———— on measuring polymer self-diffusion with the n.m.r. pulsed field gradient technique, 1677
Polyelectrolyte: Sedimentation behaviour in dilute solutions of a ————, 1519
Polyester: Effect of compound composition on fast reactions of polyurethane and unsaturated ———— in the bulk state, 1247
Polyester: Unsaturated ———— styrene resins: Effect of the catalyst concentration on kinetic rate and activation energy of radical crosslinking reactions, 1885
Polyesterification: and isomerization of maleic anhydride and 1,6-hexane diol as studied by ^1H and ^{13}C n.m.r., 1099
Polyesters: Concerning the miscibility of poly(vinyl phenol) blends — *FT*i.r. study, 228
Polyesters: Liquid crystal polymers: 19. Cholesteric main chain ———— with triad aromatic ester mesogenic units and chiral polyalkylene spacers, 1301
Polyesters: The β-loss process in liquid crystal ———— containing 2,6-naphthyl groups, 1623
Polyester blends: Thermodynamics of the phase behaviour of poly(vinyl chloride)/aliphatic polyester blends, 763
Polyester/ether/polyols: Hydrolytic stability and protective properties of polyurethane oligomers based on ————, 1901
Polyester fibres: Degradation phenomena of two linear aliphatic ———— used in medicine and surgery, 591
Polyester resin: Phase separation in styrenated ———— containing a poly(vinyl acetate) low-profile additive, 109
PEEK: Effect of physical ageing on the properties of amorphous ————, 905
Poly(ether ether ketone): Mechanical properties of ———— for engineering applications, 1385
Poly(ether ester): Melting and crystallization behaviour of elastoplastic semicrystalline copolymers: ————, 1202
Polyethers: Concerning the miscibility of poly(vinyl phenol) blends — *FT*i.r. study, 228
Polyethylene: Modelling 'melting' in macromolecules, 3
Polyethylene: Microstructure of high modulus solid state extruded ———— 2. X-ray scattering studies of 12,24 and 36 extrusion draw ratio, 17
Polyethylene: Chlorination of irradiated ———— single crystals: 1. Analysis of alkyl radical decay kinetics, 27
Polyethylene: Chlorination of irradiated ———— single crystals: 2. XES and e.s.c.a. analysis of irradiated-chlorinated PE, 38
Polyethylene: A simple thermodynamic analysis of solid–solution formation in binary systems of homologous extended-chain alkanes, 288
Polyethylene: Fluorescence measurements of diffusion coefficient for butylated hydroxyanisole in low-density ————, 433
Polyethylene: N.m.r. study of molecular dynamics in chemically crosslinked ————, 557
Polyethylene: Heat capacities of ———— and linear aliphatic polyoxides, 561
Polyethylene: The setting angle of extended chain linear ————, 650
Polyethylene: Small-angle neutron scattering of partially segregated blends of ———— and deuteropolyethylene, 661
Polyethylene: Kinetic substrate length in nucleation-controlled crystallization in ———— fractions, 803
Polyethylene: Structure and properties of linear ———— crystallized by rapid cooling of melts: 3. Effect of shear, 865
Polyethylene: E.s.c.a. studies of corona-discharge treated ———— surfaces using gas-phase derivatization, 1162
Polyethylene: Speciality products based on commodity polymers, 1372
Polyethylene: Molecular fractionation in melt-crystallized ————: 4. Fracture, 1469
Polyethylene: Plastic deformation in linear ————, 1501
Polyethylene: deutero-polyethylene phase behaviour, 1523
Polyethylene: Differences in the molecular weight and the temperature dependences of self-diffusion and zero shear viscosity in linear ———— and hydrogenated polybutadiene, 1651
Polyethylene: A single crystal of ———— crystallized under high pressure, 1791
Polyethylene: Chain conformation of ———— in the solid state as studied by ^{13}C cross-polarization/magic angle spinning nuclear magnetic resonance spectroscopy, 1864
Polyethylene: Heat capacities of ———— and linear fluoropolymers, 1875
Polyethylene: mixed crystal infra-red spectroscopy: The influence of matrix isotopic species on guest conformation, 1921
Polyethylenes: On hexagonal phases of paraffins and ————, 726
Polyethylenes: Post-yield behaviour of low density ————: 2. Plastic fracture, 901
Poly(ethylene glycol): Complexation between ———— and sodium thiocyanate, 81
Poly(ethylene oxide): Probing the structure of polymer belnds by vibrational spectroscopy: ———— and poly(methyl methacrylate) blends, 811
Poly(ethylene oxide): Diffusion of ———— in semidilute aqueous solution: Dynamic light scattering and gradient diffusion, 1647
Poly(ethylene terephthalate): Isothermal crystallization of ———— of low molecular weight by differential scanning calorimetry: 1. Crystallization kinetics, 423
Poly(ethylene terephthalate): An investigation into the structure of ———— fibres by the use of optical transforms, 469
Poly(ethylene terephthalate): Small-angle neutron scattering of partially segregated amorphous ————, 655
Poly(ethylene terephthalate): Cooperative relaxation processes in polymers, 1034
Poly(ethylene terephthalate): An infra-red study of the structure of oriented ———— fibres, 1779
Poly(ethylene terephthalate): Raman microprobe spectra of spin-oriented and drawn filaments of ————, 1935
Poly(ethylene terephthalate): Isosteric Heat of sorption of CO_2 in ————, 2043
Poly(1-heptene): ^{13}C n.m.r. study of poly[(S)-5-methyl-1-heptene] and ———— prepared by Ziegler–Natta catalyst, 1459
Poly(heptyl itaconate): Complexing of some transition metal ions with ———— containing tetraethylene pentamine side chains, 1566
Polyisobutylene: Properties of ———— polyurethane block copolymers: 2. Macroglycols produced by the 'Inifer' technique, 55
Polyisobutylene: Properties of ———— polyurethane block copolymers: 3. Hard segments based on 4,4'-diclohexylmethane diisocyante (H_{12}MDI) and butane diol, 70

Polyisocyanurate: Dependence of properties of swollen and dry polymer networks on the conditions of their formation in solution, 1667

Poly(itaconic acid ester): Polymer–metal complexes, based on ———— derivatives as catalysts for the decomposition of hydrogen peroxide, 1571

Poly(1-[*p*-(mercaptomethyl)phenyl]ethylene): Debromination of di- and tetrabrominated compounds by crosslinked ————, 781

Polymer chains: Investigations of ———— in oriented fluid phases with deuterium nuclear magnetic resonance, 177

Polymer films: Effects of molecular weight and plasticization on dissolution rates of thin ————, 1069

Polymer solutions: Study on ———— in solvent mixtures in vicinity of critical point of solvents: 4. Saturation phenomena, 293

Polymers surfaces: Modification of ———— by far-ultra-violet radiation of low and high (laser) intensities, 1297

Polymer–metal complexes: based on poly(itaconic acid ester) derivatives, as catalysts for the decomposition of hydrogen peroxide, 1571

Polymer networks: Dependence of properties of swollen and dry ———— on the conditions of their formation in solution, 1667

Polymers: Dynamics of ———— in solution and melts, 163

Poly[(S)-5-methyl-1-heptene]: ^{13}C n.m.r. study of ———— and poly(1-heptene) prepared by Ziegler–Natta catalyst, 1459

Polymerization: A discussion of the derivation of molecular weight distribution functions of linear step-growth ————, 76

Polymerization: Butadiene ———— with a rare earth compound using a magnesium alkyl cocatalyst: 1., 147

Polymerization: Butadiene ———— with a rare earth compound using a magnesium alkyl cocatalyst: 2., 152

Polymerization: of poly(dimethylsiloxane) macromers: 1. Copolymerization with styrene, 437

Polymerization: Poly(vinyl chloroformate) and its derivatives: 5. New poly(vinyl carbamates) and poly(vinyl thiocarbonates), 443

Polymerization: of methyl methacrylate with mechano-chemically synthesized microinitiators, 452

Polymerization: Thermal ———— of *p*-methyl styrene at high conversions and temperatures, 608

Polymerization: of *N*-vinylcarbazole over cobalt (II) exchanged 13X molecular sieves, 625

Polymerization: of 1-butyne and isopropylacetylene by transition metal catalysts and geometric structure of polymers, 793

Polymerization: Thermal and mechanical properties of solution polymerized segmented polyurethanes with butadiene soft segments, 895

Polymerization: Free radical ———— of *p*-methyl styrene, 935

Polymerization: Non-classical free-radical ————: 5. Purification and polymerization of 1-vinyl-2-pyrrolidone, 945

Polymerization: Radical ———— initiated by primary radicals with similar structure to the end radical on the polymer, 1253

Polymerization: Picosecond excimer fluorescence spectroscopy: applications to local motions of polymers and ———— monitoring, 1657

Polymerization control: A sensitive method for ———— based on ultrasonic measurements, 1741

Polymerization: Preparation of highly active Cr-catalysts for ethylene ————, 1891

Polymorphism: Poly(1,4-*trans*-cyclohexanediyldimethylene adipate): ———— and structure of form I, using X-ray diffraction, 1029

Poly(methyl acrylate): Excimer fluorescence technique for study of polymer segment mobility: applications to pyrene labelled poly(methyl methacrylate) and ———— in solution, 1046

Poly(α-methyl styrene): Predicted miscibility of polystyrene and ———— and comparison with experiment, 1662

Poly(methyl methacrylate): Effects of sorbed water on properties of low and high molecular weight ————: 11. Fatigue performance, 89

Poly(methyl methacrylate): Fourier transform infra-red spectroscopy of nylon-6 blends: binary belnds with ———— and ethylene vinyl ester/alcohol copolymer, 45

Poly(methyl methacrylate): Effects of sorbed water on properties of low and high molecular weight ————: 1. Deformation and fracture behaviour, 511

Poly(methyl methacrylate): An inelastic electron tunnelling spectroscopy (IETS) study of poly(vinyl acetate) ———— and poly(vinyl alcohol) absorbed on aluminium oxide, 551

Poly(methyl methacrylate): Probing the structure of polymer blends by vibrational spectroscopy: poly(ethylene oxide) and ———— blends, 811

Poly(methyl methacrylate): Excimer fluorescence technique for study of polymer segment mobility applications to pyrene labelled ———— and poly(methyl acrylate) in solution, 1046

Poly(methyl methacrylate): Local composition heterogeneities during crystallization in PVF_2/———— blends as studied by high-resolution solid state ^{13}C n.m.r., 1081

Poly(methyl methacrylate): Optical waveguiding in doped ————, 1423

Poly(methyl methacrylate): Hydrogen bonding in ————-fluorinated polymer blends: *FT*i.r. investigations using ester model molecules, 1507

Poly(methyl methacrylate): Piezo- and pyroelectricity in polymer blends of poly(vinylidene fluoride)/————, 1611

Poly(methyl methacrylate): Influence of the tacticity of ———— on the miscibility with poly(vinyl chloride), 1725

Poly(1,8-nonadiyne): Synthesis, crosslinking and electrical conductivity of ————, 71

Polyolefines: ^{13}C and ^{1}H n.m.r. studies of solid ————, 169

Polyoxides: Heat capacities of polyethylene and linear aliphatic ————, 561

Polyoxymethylene: Production of ultrahigh modulus ———— by drawing under dielectric heating, 84

Polyoxymethylene: Mechanical and physical properties of ultra-oriented ———— produced by microwave heating drawing, 462

Polyoxymethylene: Morphological changes of wide ———— rod during a microwave heating drawing process, 1929

Polypeptide: N.m.r. of solid biopolymers, 190

Poly(1,4-phenylene): Effect of compaction pressure on the conductivity and structure in undoped ————, 1628

Poly(phenylene oxide): Concentration dependence of the primitive path step length, 101

Poly(*p*-phenylene sulphide): Kinetic analysis of the crystallization of ————, 1595

Poly(1,4-phenyleneterephthalamide: Characterization of ———— in concentrated sulphuric acid: 1. Static and dynamic properties, 1401

Poly(1,4-phenylene terephthalamide): Characterization of ———— in concentrated sulphuric acid. 2. Determination of molecular weight distributions, 1408

Polypropylene: Sperulitic and lamellar morphology of melt-crystallized isotactic ————, 704

Polypropylene: N.m.r. studies of molecular motion in modified ————, 1455

Polypropylene: The determination of molecular orientation in oriented ———— by wide-angle X-ray diffraction, polarized fluorescence and refractive index measurements, 1605

Polypropylene: Localization of oxidation in ————, 1713

Polypropylene: Primary nucleation behaviour is isotactic ————/ethylene–propylene random copolymer blends, 1843

Polypropylene: Tearing instability in ————, 1963

Polypropylenes: Stereochemical composition–properties relationships in isotactic ———— obtained with different catalyst systems, 259

Poly(propylene oxide): Selective gas transport in miscible PPO–PS blends, 2055

Polystyrene: Isotope effects on the phase separation in ———— poly(vinyl methyl ether) blends, 73

Polystyrene: Structural relaxation in ———— changes in the recovery function with increasing relaxation, 77

Polystyrene: Concentration dependence of the primitive path step length, 101

Polystyrene: Deuteron n.m.r. in relation to the glass transition in polymers, 203

Polystyrene: Pulsed field gradient n.m.r. measurements and theoretical interpretation of the self-diffusion of ———— in solution, 241

Polystyrene: Motional restrictions and chain conformation in various swollen crosslinked ————gels from ^{1}H n.m.r. line-shape analysis, 253

Polystyrene: Study on polymer solutions in solvent mixtures in the vicinity of the critical point of the solvents: 4. Saturation phenomena, 293

Polystyrene: Toughness of two pure block copolymer blends in high molecular weight ————, 519

Polystyrene: Effect of the degree of crosslinking on penetrant transport in ————, 569

Polystyrene: Synthesis of highly conducting ————-polyacetylene copolymers, 622

Polystyrene: Light and neutron scattering studies of excess low-angle scattering in moderately concentrated ———— solutions, 673

Polystyrene: On the lamellar morphology of melt-crystallized isotactic ————, 717

Polystyrene: Orientation and relaxation in

uniaxially stretched poly(vinyl methyl ether)–atactic ———— blends, 879
Polystyrene: Influence of morphology on the transport properties of ————/polybutadiene blends: 1. Experimental studies, 1073
Polystyrene: Unperturbed dimensions and the *g* factor of a star-shaped ————, 1172
Polystyrene: Assessment of molecular connectedness in semi-dilute polymer solutions by elongational flow, 1219
Polystyrene: Influence of morphology on transport properties of ————/polybutadiene blends: 2. Modelling results, 1239
Polystyrene: Comparative evaluation of thermal stabilities of novel sulphonic acid resins from anhydride modified ———— with commercial polystyrene based resins, Indion-225 and Zeocarb-225, 1365
Polystyrene: New extensional rheometer for elongational viscosity and flow birefringence measurements: some results on ———— melts, 1477
Polystyrene: Molecular conformation and interactions in oligomeric mixtures of ———— with polybutadiene: a small-angle neutron scattering study, 1554
Polystyrene: Self-diffusion in concentrated ———— solutions measured by fluorescence recovery after photobleaching, 1654
Polystyrene: Predicted miscibility of ———— and poly(α-methyl styrene) and comparison with experiment, 1662
Polystyrene: Phase separation in polymer blends comprising copolymers: 4. Polycarbonate ———— ABCP system, 1689
Polystyrene: A preliminary study of the dynamics of phase separation in oligomeric ————–polybutadiene blends, 1708
Polystyrene: Crazing in ———— polybutadiene diblock copolymers containing cylindrical polybutadiene domains, 1985
Polystyrene: Low density, microcellular ———— foams, 2047
Polystyrene: Selective gas transport in miscible PPO–PS blends, 2055
Polystyrenes: Properties of the plateau zone of star-branched polybutadienes and ————, 1091
Poly(styrene-co-divinylbenzene): Determination of the glass transition temperature of ———— by inverse gas chromatography, 1181
Polystyrene films: Photo-electret studies of pure doped ————, 1025
Polystyrene networks: Scaling laws and ————: a quasi-elastic light scattering study, 1643
Poly(styrene sulphonate): Sedimentation behaviour in dilute solutions of a polyelectrolyte, 1519
Polysulfone: Phase separation phenomena in solutions of ———— in mixtures of a solvent and a nonsolvent: relationship with membrane formation, 1539
Poly(tetrafluoroethylene): Energy calculations for the crystal structure of the high temperature phases (I and IV) of ————, 1944
Poly(tetramethylene ether glycol): Crystallization behaviour of random block copolymers of poly(butylene terephthalate) and ————, 8
Poly(tetramethylene oxide): Reactions of macroions leading to block and/or graft copolymers: Macroion transformation: anion→cation and cation→anion, 1733
Poly(tetramethylene terephthalate): Infra-red spectroscopic characterization of the α–β phase transition in ————, 235
Polyurethane: Properties of polyisobutylene ———— block copolymers: 2. Macroglycols produced by the 'Inifer' technique, 55
Polyurethane: Properties of polyisobutylene ———— block copolymers: 3. Hard segments based on 4'4-dicyclohexylmethane diisocyanate (H_{12}MDI) and butane diol, 70
Polyurethane: curing by a pulsed microwave field, 506
Polyurethane: Effects of unequal reactivity of functional groups on gelation phenomena in ———— systems, 595
Polyurethane: Effect of compound composition on fast reactions of ———— and unsaturated polyester in the bulk state, 1247
Polyurethane: Thermal response of the polyether soft segment chain conformation in a ———— block copolymer measured by small-angle neutron scattering, 1915
Polyurethanes: Synthesis and characterization of model comb-branched ———— 1. Synthesis of model comb-branched polyurethanes, 84
Polyurethanes: Synthesis and characterization of model comb-branched ————: 2. Dilute solution and viscoelastic properties, 91
Polyurethanes: Domain morphology in ————, 490
Polyurethanes: Thermal and mechanical properties of solution polymerized segmented ———— with butadiene soft segments, 895
Polyurethanes: Phase separation studies in RIM ————: catalyst and hard segment crystallinity effects, 1145
Polyurethane elastomers: Kinetics of the reaction of isophorone di-isocyanate with mono-alcohols, 301
Polyurethane oligomers: Hydrolytic stability and protective properties of ———— based on polyester/ether/polyols, 1901
Poly(urethaneureas): Microphase separated structure and blood compatibility of segmented ———— with different diamines in the hard segment, 978
Poly(urethaneureas): Microphase separated structure, surface composition and blood compatibility of segmented ———— with various soft segment components, 987
Poly(vinyl acetate): Phase separation in styrenated polyester resin containing a ———— low profile additive, 109
Poly(vinyl acetate): An inelastic electron tunnelling spectroscopy (IETS) study of ————, poly(methyl methacrylate) and poly(vinyl alcohol) absorbed on aluminium oxide, 551
Poly(vinyl alcohol): Surface free energy of ———— modified with alkyl groups, 429
Poly(vinyl alcohol): An inelastic electron tunnelling spectroscopy (IETS) study of poly(vinylacetate), poly(methyl methacrylate) and ———— absorbed on aluminium oxide, 551
Poly(vinyl alcohol): D.s.c. investigation of the states of water in ———— membranes, 1207
Poly(vinyl alcohol): Intramolecular cross-linking of ————, 1737
Poly(vinyl alcohol-co-itaconic acid): D.s.c. investigation of the states of water in ———— membranes, 1833
Poly(vinyl bromide): Head-to-head polymers: 33. Bromination of *cis*-1,4-polybutadiene to head-to-head ————, 1257
Poly(vinyl carbamates): Poly(vinyl chloroformate) and its derivatives: 5. New ———— and poly(vinyl thiocarbonates), 443
Poly(*N*-vinyl carbazole): Dielectric and ^{13}C n.m.r. studies of various stereostructural forms of ————, 2014
Poly(vinyl chloride): An n.m.r. and d.s.c. investigation of the solubility conditions of didecylphenylphosphite in rigid ————, 307
Poly(vinyl chloride): Thermodynamics of the phase behaviour of ————/aliphatic polyester blends, 763
Poly(vinyl chloride): Surface-grafted heparinizable materials, 1349
Poly(vinyl chloride): Reactions of macroions leading to graft copolymers: crosslinking and grafting of ———— by carbanions, 1575
Poly(vinyl chloride): Influence of the tacticity of poly(methyl methacrylate) on the miscibility with ————, 1725
Poly(vinyl chloroformate): and its derivatives: 5. New poly(vinyl carbamates) and poly(vinyl thiocarbonates, 443
Poly(vinyl methyl ether): Isotope effects on phase separation in polystyrene–———— blends, 73
Poly(vinyl methyl ether): Orientation and relaxation in uniaxially stretched ————–atactic polystyrene blends, 879
Poly(vinyl phenol): Concerning the miscibility of ———— blends — *FT*i.r. study, 228
Poly(2-vinyl pyridine): Crystallization and melt behaviour of isotactic ————, 283
Poly(vinyl pyrrolidone): Concerning the miscibility of poly(vinyl phenol) blends — *FT*i.r. study, 228
Poly(vinyl pyrrolidone): Calorimetric determination of the enthalpy change for binding of methyl orange to ———— in aqueous solution, 751
Poly(*N*-vinyl pyrrolidone): Glass transition temperature of ———— by differential scanning calorimetry, 757
Poly(vinyl pyrrolidone): Self diffusion of small molecules in aqueous solution of ————, 940
Poly(*N*-vinyl-2-pyrrolidone): Copolymerizations involving *N*-vinyl-2-pyrrolidone, 1869
Poly(vinyl thiocarbonates): Poly(vinyl chloroformate) and its derivatives: 5. New poly(vinyl carbamates) and ————, 443
Poly(vinyl thiophene)s: Preparation of substituted ———— via lithiation of poly(vinyl thiophene), 1695
Poly(vinylidene fluoride): A broad line n.m.r. study of oriented ————, 208
Poly(vinylidene fluoride): Modelling of chain twist boundaries in ———— as a mechanism for ferroelectric polarization, 821
Poly(vinylidene fluoride): Doubly oriented β-form films of ————, 853
Poly(vinylidene fluoride): Local composition heterogeneities occurring during crystallization in ————/PMMA blends studied by high-resolution solid state ^{13}C n.m.r., 1081
Poly(vinylidene fluoride): Piezo- and pyro-

electricity in polymer blends of ————/poly(methyl methacrylate), 1611
Poly(vinylidene fluoride): Polarization and piezoelectric coefficients of ———— form-I-films: A model including crystalline orientation, 1825
Porosity properties: Can ———— of particles really be determined by inverse gel permeation chromatography?, 575
Post-yield behaviour: of low density polyethylenes: 2. Plastic fracture, 901
Prepolymerization: Preparation and properties of high molar mass nylon-4,6: a new development in nylon polymers, 1582
Primitive path step length: Concentration dependence of the ————, 101
Production: of ultrahigh modulus polyoxymethylene by drawing under dielectric heating, 84
Propellants: Relaxations in double base ————, 79
Properties: Polymers with rigid anisotropic side groups: 2. Synthesis and ———— of some side chain acrylate and methacrylate liquid crystal polymers containing the 4'-alkylbiphenyl-4-yl moiety, 615
Propylene: Structure of ———— ethylene sequential copolymers, 1155
Propylene: Homo- and copolymerization of ethylene and ———— with a soluble chromium catalyst, 1888
Protective properties: Hydrolytic stability and ———— of polyurethane oligomers based on polyester/ether/polyols, 1901
Protein: N.m.r. of solid biopolymers, 190
Purification: Non-classical free-radical polymerization: 5. ———— and polymerization of 1-vinyl-2-pyrrolidone. 945
Pyroelectricity: Piezo- and ———— in polymer blends of poly(vinylidenefluoride)/poly(methyl methacrylate), 1611
Pyrolysis/gas chromatography/mass spectrometry: of glycidyl methacrylate–alkyl acylate copolymers, 747

Quasi-elastic light scattering: Scaling laws and polystyrene networks: a ———— study, 1643
Quasi-elastic scattering: from dilute polymer solutions, 1212

Radical termination: Radical polymerization initiated by primary radicals with similar structure to the end radical on the polymer, 1253
Raman microprobe spectra: of spin-oriented and drawn filaments of poly(ethylene terephthalate), 1935
Rare earth compound: Butadiene polymerization with a ———— using a magnesium alkyl cocatalyst: 1., 147
Rare earth compound: Butadiene polymerization with a ———— using a magnesium alkyl cocatalyst: 2., 152
Reaction injection moulding: Phase separation studies in RIM polyurethanes: Catalyst and hard segment crystallinity effects, 1145
Reactive rubbers: Influence of the temperature of cure on the mechanical properties of ATBN/epoxy blends, 1110
Recovery function: Structural relaxation in polystyrene: changes in ———— with increasing relaxation, 77
Recrystallization: Modelling 'melting' in macromolecules, 3
Refractive index: Determination of molecular orientation in oriented polypropylene by wide-angle X-ray diffraction, polarized fluorescence and ———— measurements, 1605
Rejuvenation: and physical ageing of a polycarbonate film subjected to finite tensile strains, 1979
Relaxation: Structural relaxation in polystyrene: changes in the recovery function with increasing ————, 77
Relaxation: ^{13}C and ^{1}H n.m.r. studies of solid polyolefines, 169
Relaxation: N.m.r. of solid biopolymers, 190
Relaxation: Deuteron n.m.r. in relation to the glass transition in polymers, 203
Relaxation: ^{13}C n.m.r. ———— study of poly(aspartic acid), 667
Relaxation: Orientation and ———— in uniaxially stretched poly(vinyl methyl ether)–atactic polystyrene blends, 879
Relaxations: in double base propellants, 79
Relaxations: Thermal properties of gelatin films, 113
Relaxation processes: in crystalline polymers: molecular interpretation — a review, 1123
Relaxation properties: Dielectric studies of the effect of water on ———— of nitroglycerine–nitrocellulose mixtures, 1227
Reptation: Concentration dependence of the primitive path step length, 101
Reptation: Pulsed field gradient n.m.r. measurements and theoretical interpretation of the self-diffusion of polystyrene in solution, 241
Resins: Unsaturated polyester–styrene ————: Effect of the catalyst concentration on the kinetic rate and activation energy of radical crosslinking reactions, 1885
Rubbers: Investigation of nonuniformities of chemical and topological structure of space networks of synthetic ———— using statistical analysis of tensile strength distribution curves, 918
Rubbers: Dynamic-mechanical properties of polybutadiene ————, 1463
Rubbers: Interpretation of orientation strain relationships in ———— and thermoplastics, 1755
Rubber blends: Crystallization, morphology, structure and thermal behaviour of nylon-6 ————, 270
Rubber elasticity: The contribution to ———— of topological entanglements, 1134
Rubber toughening: Phase structure and adhesion in polymer blends: A criterion for ————, 1855
Rubber vulcanizates: Temperature dependence of birefringence for strained natural ————, 97
Rubber vulcanizates: Temperature dependence of birefringence and stress for natural ———— at strained state, 247

Salt: Aqueous ———— absorption by ampholytic polysaccharides, 1234
Saturation phenomena: Study on polymer solutions in solvent mixtures in vicinity of critical point of solvents: 4. ————, 293
Scaling: Monte–Carlo simulation of the collapse transition of a two-dimensional polymer, 1814
Scaling laws: and polystyrene networks: a quasi-electric light scattering study, 1643
Scattering patterns: Interpretation of electron microscope images and ———— from crazes, 483
Second virial coefficient: The θ-behaviour of heterogeneous macromolecules, 105
Second virial coefficient: Theta point of polyacrylamide in aqueous solution and temperature dependence of the molecular dimensions, 406
Sedimentation behaviour: in dilute solutions of a polyelectrolyte, 1519
Segment mobility: Excimer fluorescence technique for study of polymer ————: applications to pyrene labelled poly(methyl methacrylate) and poly(methyl acrylate) in solution, 1046
Segregation: Small-angle neutron scattering of partially segregated amorphous poly(ethylene terephthalate), 655
Segregation: Small-angle neutron scattering of partially segregated blends of polyethylene and deuteropolyethylene, 661
Self-diffusion: Pulsed field gradient n.m.r. measurements and theoretical interpretation of the ———— of polystyrene in solution, 241
Self diffusion: of small molecules in aqueous solution of poly(vinyl pyrrolidone), 940
Self-diffusion: Differences in the molecular weight and the temperature dependences of ———— and zero shear viscosity in linear polyethylene and hydrogenated polybutadiene, 1651
Self-diffusion: in concentrated polystyrene solutions measured by fluorescence recovery after photobleaching, 1654
Self-diffusion: Effect of polydispersity on measuring polymer ———— with the n.m.r. pulsed field gradient technique, 1677
Setting angle: The ———— of extended chain linear polyethylene, 650
Shear: Structure and properties of linear polyethylene crystallized by rapid cooling of melts: 3. The effect of ————, 865
Shrinkage forces: Thermally stimulated ———— in oriented polymers: 1. Temperature dependence, 1011
Shrinkage forces: Thermally stimulated ———— in oriented polymers: 2. Time dependence, 1019
Silica: Characterization of chain binding to filler in silicone–———— systems, 1231
Silica: Electron microscopy of elastomers containing *in-situ* precipitated ————, 2069
Silicone: Characterization of chain binding to filler in ————–silica systems, 1231
Single crystals: Chlorination of irradiated polyethylene ———— 1. Analysis of alkyl radical decay kinetics, 27
Single crystals: Chlorination of irradiated polyethylene ———— 2. XES and e.s.c.a. analysis of irradiated-chlorinated PE, 38
Skinned membranes: Diffusion of solvent from a cast cellulose acetate solution during the formation of ————, 1531
Small-angle neutron scattering: of partially segregated amorphous poly(ethylene terephthalate), 655
Small-angle neutron scattering: of partially segregated blends of polyethylene and deuteropolyethylene, 661
Small-angle neutron scattering: Crosslink distribution of epoxy networks studied by ————, 1053
Small-angle neutron scattering: Molecular conformation and interactions in oligomeric mixtures of polystyrene with polybutadiene: a ———— study, 1554
Small-angle neutron scattering: Thermal response of the polyether soft segment chain conformation in a polyurethane block copolymer measured by ————, 1915

Small-angle X-ray scattering: Microstructure of high modulus solid state extruded polyethylene: 2. ———— studies of 12, 24 and 36 extrusion draw ratio, 17
Small-angle X-ray scattering: Properties of polyisobutylene polyurethane block copolymers: 2. Macroglycols produced by the 'Inifer' technique, 55
Sodium thiocyanate: Study of the complexation between poly(ethylene glycol) and ————, 81
Solid–solution: A simple thermodynamic analysis of ———— formation in binary systems of homologous extended-chain alkanes, 288
Solubility conditions: An n.m.r. and d.s.c. investigation of the ———— of didecylphenylphosphite in rigid poly(vinyl chloride), 307
Solution: Dynamics of polymers in ———— and melts, 163
Sorption: ———— and diffusion of water in halogen-containing epoxy resin, 1167
Sorption: Isosteric heat of ———— of CO_2 in poly(ethylene terephthalate), 2043
Speciality polymers: prospect–retrospect, 1284
Speciality polymers: New developments in ————: polymeric stabilizers, 1288
Speciality products: based on commodity polymers, 1372
Spherulites: Spherulitic crystallization in poly(bis(trifluoro-ethoxy)phosphazene), 1971
Spherulitic: ———— and lamellar morphology of melt-crystallized isotactic polypropylene, 704
Spinodal curves: Binodal and ————: a simulation for various high polymer mixtures, 418
Stabilization: Catalytic initiation of polyacrylonitrile stabilization, 447
Stabilizers: New developments in speciality polymers: polymeric ————, 1288
Star polymer: Linear viscoelastic properties of mixtures of 3- and 4-arm polybutadiene stars, 1087
Star polymer: Unperturbed dimensions and the g factor of a star-shaped polystyrene, 1172
Static properties: A study of the static and dynamic properties of side-chain liquid crystalline polymers in low molar mass mesogens, 1319
Static properties: Characterization of poly(1,4-phenyleneterephthalamide) in concentrated sulphuric acid: 1. ———— and dynamic properties, 1401
Statistical analysis: Investigation of non-uniformities of chemical and topological structure of space networks of synthetic rubbers using ————, 918
Step-growth: Discussion of the derivation of molecular weight distribution functions of linear ———— polymerization, 76
Stereochemical composition: – properties relationships in isotactic polypropylenes obtained with different catalyst systems, 259
Stochastic processes: Theory of nuclear magnetic relaxation, 193
Storage displays: High-resolution laser-addressed liquid crystal polymer ————, 1801
Strain: The interpretation of orientation–———— relationships in rubbers and thermoplastics, 1755
Strain potential function: The time dependent ———— for a polymeric glass, 543
Strained state: Temperature dependence of birefringence and stress for natural rubber vulcanizates at ————, 247
Stress: Temperature dependence of birefringence and ———— for natural rubber vulcanizates at strained state, 247
Structural relaxation: in polystyrene: changes in the recovery function with increasing relaxation, 77
Structural considerations: and new polymers for biomedical applications, 1331
Structure: Crystallization, morphology, ———— and thermal behaviour of nylon-6 rubber blends, 270
Structure: An investigation into ———— of poly(ethylene terephthalate) fibres using optical transforms, 469
Structure: Probing the ———— of polymer blends by vibrational spectroscopy: the case of poly(ethylene oxide) and poly(methyl methacrylate) blends, 811
Structure, Poly(1,4-*trans*-cyclohexanediyldimethyldimethylene adipate): Polymorphism and the ———— of form I, using X-ray diffraction, 1029
Structure: ———— of propylene–ethylene sequential copolymers, 1155
Structure: Effect of compaction pressure on conductivity and ———— in undoped poly(1,4-phenylene), 1628
Structure: water absorption relationships for amine-cured epoxy resins, 1719
Structure: An infra-red study of the ———— of oriented poly(ethylene terephthalate) fibres, 1779
Styrene: Study on kinetics of copolymerization of ———— and maleic anhydride in methyl ethyl ketone, 629
Styrene: Bulk copolymerization of ———— and acrylonitrile: Experimental kinetics and mathematical modelling, 2001
Substrate completion: Theory of the substrate length in polymer crystallization: Surface roughening as an inhibitor for ————, 1763
Sulphonation: ^{13}C n.m.r. study of the ———— of novolacs, 1369
Sulphonic acid resins: Comparative evaluation of thermal stabilities of novel ———— from anhydride modified polystyrene with commercial polystyrene based resins, Indion-225 and Zeocarb-225, 1365
Surgery: Degradation phenomena of two linear aliphatic polyester fibres used in medicine and ————, 591
Surface composition: Microphase separated structure, ———— and blood compatibility of segmented poly(urethaneureas) with various soft segment components, 987
Surface free energy: of poly(vinyl alcohol) modified with alkyl groups, 429
Surface grafting: Surface-grafted heparinizable materials, 1349
Surface pressures: Studies of cyclic and linear poly(dimethylsiloxanes): 18. ———— of monolayers in the plateau region, 925
Surface roughening: Theory of the substrate length in polymer crystallization: ———— as an inhibitor for substrate completion, 1763
Swelling: Can porosity properties of particles really be determined by inverse gel permeation chromatography?, 575
Swollen gels: Phase transition in ———— 7. Effect of charge concentration on temperature collapse of poly(*N*,*N*,-diethylacrylamide) networks in water, 1514
Synthesis: crosslinking and electrical conductivity of poly(1,8-nonadiyne), 71
Synthesis: and characterization of model comb-branched polyurethanes: 1. ———— of model comb-branched polyurethanes, 84
Synthesis: and characterization of model comb-branched polyurethanes: 2. Dilute solution and viscoelastic properties, 91
Synthesis: Polymers with rigid anisotropic side groups: 2. ———— and properties of some side chain acrylate and methacrylate liquid crystal polymers containing the 4′-alkylbiphenyl-4-yl moiety, 615
Synthesis: of highly conducting polystyrene–polyacetylene copolymers, 622
Synthesis: and properties of monodisperse hydroxy-terminated oligomers or 1,4-butanediol and 2,4-toluene diisocyanate, 889
Synthesis: and viscometric properties of low charge density ampholytic ionomers, 1058
Synthesis: physico-chemical properties and biochemical applications of poly(amido-amine)s, 1336

Tearing instability: in polypropylene, 1963
Telomerization: Anionic ———— of butadiene with toluene and diphenylmethane: microstructure and molecular weight, 1265
Temperature collapse: Phase transition in swollen gels: 7. Effect of charge concentration on the ———— of poly(*N*,*N*-diethylacrylamide) networks in water, 1514
Temperature dependence: of birefringence for strained natural rubber vulcanizates, 97
Temperature dependence: of birefringence and stress for natural rubber vulcanizates at strained state, 247
Temperature dependence: Theta point of polyacrylamide in aqueous solution and ———— of the molecular dimensions, 406
Temperature dependence: Thermally stimulated shrinkage forces in oriented polymers: 1. ————, 1011
Temperature effects: on the birefringence of nitrocellulose and nitrocellulose/nitroglycerine mixtures, 643
Tensile strains: Rejuvenation and physical ageing of a polycarbonate film subjected to finite ————, 1979
Tensile strength: Investigation of non-uniformities of chemical and topological structure of space networks of synthetic rubbers using statistical analysis of ———— distribution curves, 918
Tensile properties: Degradation in ———— of aromatic polymers by electron beam irradiation, 1039
Theoretical interpretation: Pulsed-field gradient n.m.r. measurements and ———— of the self-diffusion of polystyrene in solution, 241
Theory: of nuclear magnetic relaxation, 193
Thermal analysis: Poly(vinyl chloroformate) and its derivatives: 5. New poly(vinyl carbamates) and poly(vinyl thiocarbonates), 443
Thermal behaviour: Crystallization, morphology, structure and ———— of nylon-6 rubber blends, 270
Thermal behaviour: Curing of bismaleimides: 3. Effect of structure on ———— of bis(amide-maleimide), 1561
Thermal density fluctuations: A photon correlation spectroscopy study of poly(di-n-butyl itaconate near T_g, 66
Thermal expansivity: of oriented nylon-6 and nylon-6,6, 884
Thermal history: Effect of ———— on the morphology of thermotropic liquid

crystalline copolyesters based on PET and PHB, 689
Thermal oxidation: Catalytic initiation of polyacrylonitrile stabilization, 447
Thermal properties: of gelatin films, 113
Thermal response: The ———— of the polyether soft segment chain conformation in a polyurethane block copolymer measured by small-angle neutron scattering, 1915
Thermal stabilities: Comparative evaluation of ———— of novel sulphonic acid resins from anhydride modified polystyrene with commerical polystyrene based resins, Indion-225 and Zeocarb-225, 1365
Thermal stability: ———— of xanthan gum, 1549
Thermal transitions: of ethylene–vinyl chloride copolymers, 1195
Thermodynamic analysis: A simple ———— of solid–solution formation in binary systems of homologous extended-chain alkanes, 288
Thermodynamic model: Asymmetric composition profiles in block copolymer interphases: 2. ———— predictions and implications, 2026
Thermodynamics: of the phase behaviour of poly(vinyl chloride)/aliphatic polyester blends, 763
Thermodynamics: New developments in macroinorganics: the———— of basic polymers, 1353
Thermodynamics: Macromolecular conformational volume and ———— of crystal melting, 1638
Thermophysical properties: Multiple transitions in polyallylbenzene: 1. ————, 1443
Thermoplastic: Polyblends containing a liquid crystalline polymer, 1325
Thermoplastics: The interpretation of orientation—strain relationships in rubbers and ————, 1755
Theta-behaviour: The ———— of heterogeneous macromolecules, 105
Theta conditions: Transition phenomena of polymers in mixed solvents in the vicinity of ————. Effect of preferential adsorption, 1838
Theta point: of polyacrylamide in aqueous solution and temperature dependence of molecular dimensions, 406
Theta solvents: Unperturbed dimension of poly(4-acetoxystyrene) measured in good and ————, 1175
Time dependence: Thermally stimulated shrinkage forces in oriented polymers: 2. ————, 1019
Titanium tetrabutylate: Models for the formation of poly(butylene terephthalate): effect of water on kinetics of ———— catalysed reactions: 3., 1745
2,4-Toluene diisocyanate: Synthesis and properties of monodisperse hydroxy-terminated oligomers of 1,4-butanediol and ————, 889
Topologocal: The contribution to rubber elasticity of ———— entanglements, 1134
Toughness: of two pure block copolymer blends in high molecular weight polystyrene, 519
Toughness: Craze plasticity and ———— of particulate block copolymer blends, 529
Transition: Solid-state polyamidation of nylon salts: possible mechanism for the solid–melt ————, 413
Transition metal catalysts: Polymerization of 1-butyne and isopropylacetylene by ———— and geometric structure of polymers, 793
Transition metal ions: Complexing of some ———— with poly(heptyl itaconate) containing tetraethylene pentamine side chains, 1566
Transition phenomena: of polymers in mixed solvents in the vicinity of theta conditions: Effect of preferential adsorption, 1838
Transport: Effect of the degree of crosslinking on penetrant ———— in polystyrene, 569
Transport properties: Influence of morphology on ———— of polystyrene/polybutadiene blends. 1. Experimental studies, 1073
Transport properties: Influence of morphology on ———— of polystyrene//polybutadiene blends: 2. Modelling results, 1239
Trifluorethylene: N.m.r. study of the ferroelectric phase transition in a 70/30 mole% copolymer of vinylidene fluoride (VF_2) and ———— (TrFE), 1683
2,4,6-Trimethylbenzoyldiphenylphosphine oxide: On the photolysis of acylphosphine oxides: 1. Laser flash photolysis studies with ————, 141

Ultimate properties: Large deformation and ———— of biopolymer gels: 1. Single biopolymer component systems, 1483
Ultimate properties: Large deformation and ———— of biopolymer gels: 2. Mixed gel systems, 1493
Ultrasonic measurements: A sensitive method for polymerization control based on ————, 1741
Ultrasonic velocity: A sensitive method for polymerization control based on ultrasonic measurements, 1741
Ultra-violet radiation: Modification of polymer surfaces by far———— of low and high (laser) intensities, 1297
Unequal reactivity: Effects of ———— of functional groups on gelation phenomena in polyurethane systems, 595
Uniaxial extensions: Superposition of small shear deformations on large ———— for viscoelastic materials, 1105
Unperturbed dimensions: of poly(4-acetoxystyrene) measured in good and theta solvents, 1175
Unperturbed dimensions: and the *g* factor of a star-shaped polystyrene, 1172

Vibrational spectroscopy: Probing the structure of polymer blends by ————: poly(ethylene oxide) and poly(methyl methacrylate) blends, 811
Vibrations: Infra-red bandshapes of methylene-d_2 bending ———— in n-hexatriacontane-n–hexatriacontane-d_{74}, 219
N-Vinylcarbazole: Polymerization of ———— over cobalt (II) exchanged 13X molecular sieves, 625
Vinyl chloride: Thermal transitions of ethylene–———— copolymers, 1195
Vinylidene fluoride: N.m.r. study of the ferroelectric phase transition in a 70/30 mole% copolymer of ———— (VF_2) and trifluoroethylene (TrFE), 1683
1-Vinyl-2-pyrrolidone: Non-classical free-radical polymerization: 5. The purification and polymerization of ————, 945
N-Vinyl-2-pyrrolidone: Copolymerizations involving ————, 1869
Viscoelastic materials: Superposition of small shear deformations on large uniaxial extensions for ————, 1105
Viscoelastic properties: Synthesis and characterization of model comb-branched polyurethanes: 2. Dilute solution and ————, 91
Viscoelastic properties: Linear ———— of mixtures of 3- and 4-arm polybutadiene stars, 1087
Viscoelastic properties: of cellulose derivatives: 1. Cellulose acetate, 1953
Viscoelastic properties: of cellulose derivatives: 2. Effect of diethylphthalate on the dynamic mechanical relaxation of cellulose acetate, 1958
Viscoelasticity: The time dependent strain potential function for a polymeric glass, 543
Viscometric properties: Synthesis and ———— of low charge density ampholytic ionomers, 1058
Viscosity: New extensional rheometer for elongational ———— and flow birefringence measurements: some results on polystyrene melts, 1477
Viscosity: Differences in the molecular weight and the temperature dependences of self-diffusion and zero shear ———— in linear polyethylene and hydrogenated polybutadiene, 1651

Water: The sorption and diffusion of ———— in halogen-containing epoxy resins, 1167
Water: D.s.c. investigation of the states of ———— in poly(vinyl alcohol) membranes, 1207
Water: Dielectric studies of the effect of ———— on the relaxation properties of nitroglycerine–nitrocellulose mixtures, 1227
Water: Structure ———— absorption relationships for amine-cured epoxy resins, 1719
Water: D.s.c. investigation of the states of ———— in poly(vinylalcohol-co-itaconic acid) membranes, 1833
Water accumulation: Solid-state polyamidation of nylon salts: possible mechanism for solid–melt transition, 413
Water content: Effects of sorbed water on properties of low and high molecular weight PMMA: 11. Fatigue performance, 89
Water dynamics: N.m.r. study of cellulose–water systems: Water proton spin-lattice relaxation in the rotating reference frame, 859

Xanthan gum: Thermal stability of ————, 1549
X-ray diffraction: An investigation into the structure of poly(ethylene terephthalate) fibres using optical transforms, 469
X-ray diffraction: Doubly oriented β-form films of poly(vinylidene fluoride), 853
X-ray diffraction: Poly(1,4-*trans*-cyclohexanediyl dimethylene adipate): Polymorphism and structure of form I, using ————, 1029
X-ray diffraction: Crystalline structure of poly(diarylsiloxanes), 1527
X-ray diffraction: The determination of molecular orientation in oriented polypropylene by wide-angle ————, polarized fluorescence and refractive index measurements, 1605

X-ray diffraction: A single crystal of polyethylene crystallized under high pressure, 1791

X-ray energy spectroscopy: Chlorination of irradiated polyethylene single crystals: 2. ———— and e.s.c.a. analysis of irradiated-chlorinated PE, 38

Yielding behaviour: Molecular scale deformation in the ———— of glassy polymers, 1807

Zeocarb-225: Comparative evaluation of thermal stabilities of novel sulphonic acid resins from anhydride modified polystyrene with commercial polystyrene based resins, Indion-225 and ————, 1365

Zeolite: Polymerization of *N*-vinylcarbazole over cobalt (II) exchanged 13X molecular sieves, 625

Ziegler–Natta catalyst: ^{13}C n.m.r. study of poly[(S)-5-methyl-1-heptene] and poly-1-heptene) prepared with a ————, 1459

This publication is available in microform.

University Microfilms International

University Microfilms International reproduces this publication in microform: microfiche and 16mm or 35mm film. For information about this publication or any of the more than 13,000 titles we offer, complete and mail the coupon to: University Microfilms International, 300 N. Zeeb Road, Ann Arbor, MI 48106. Call us toll-free for an immediate response: 800-521-3044. Or call collect in Michigan, Alaska and Hawaii: 313-761-4700.

☐ Please send information about these titles:

Name _____

Company/Institution _____

Address _____

City _____

State _____ Zip _____

Phone ( ) _____